

# Material Safety Data Sheet

May be used to Comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements

## HMIS

HEALTH

1

REACTIVITY

0

FLAMMABILITY

1

PERSONAL PROTECTION

B

### Identity (As Used On Label and List)

**B4035 Soy Away Wipes**

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

### Section I

#### Manufactured for:

OMEGA INDUSTRIAL SUPPLY, INC

#### Emergency Telephone Number:

1-800-424-9300

#### Address (Number, Street, City, State, and Zip Code)

4950-B Fulton Drive

#### Telephone Number for Information:

1-800-571-7347

Fairfield, CA 94534

#### Date Prepared

02-23-2007

#### Signature of Prepare (Optional)

REGULATORY DEPT.

### Section II - Hazardous Ingredients / Identity Information

#### Hazardous Components

(Specific Chemical Identity, Common Name(s))

CAS No.

OSHA PEL

ACGIH-TLV

Other Limits

Recommended.

%(Opt.)

N-Methylpyrrolidone

872-50-4

100 ppm

100 ppm

N/A

D-Limonene

5989-27-5

N/E

N/E.

N/A

Propylene Glycol T-Butyl Ether

57018-52-7

N/E

N/E

N/A

Nonylphenol +9EO Polyethoxylate

9016-45-9

N/E

N/E

N/A

This product is not known to contain any compounds listed and in quantities requiring reporting under SARA Title III Section 313.

Any substance listed as hazardous by the State of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations.

### Section III - Physical Chemical Characteristics

#### Boiling Point

Concentrate – Initial

200°C

#### Specific Gravity (H<sub>2</sub>O = 1)

Concentrate

1.0

#### Vapor Pressure @ 20°C

<1

#### Melting Point

N/A

#### Vapor Density

3.4

#### Evaporation Rate (Butyl Acetate = 1)

ND

#### Solubility in Water

Slightly soluble  
at room temp

#### pH

—

#### Appearance and Odor—

Opaque viscous liquid with green tinge and citrus odor

#### VOC%

6%

### Section IV – Fire and Explosion Hazard Data

#### USA Flame Projection Test (ASTM D-3065)

Flammable

#### Flammable Limits

200°F TOC Combustible

#### LEL

N/D

#### UEL

N/D

**Extinguishing Media** – Use water fog, foam, CO<sub>2</sub> or dry chemical.

**Special Fire Fighting Procedures** – Firefighters should be equipped with self-contained breathing apparatus and turnout gear.

**Unusual Fire and Explosion Hazards** – Low, when exposed to heat or flames. Can react with oxidizing materials.

**Section V – Reactivity Data**

Stability	Unstable	<input type="checkbox"/>	Conditions to Avoid – Moisture-compound is hygroscopic	Hazardous Polymerization	May Occur	<input type="checkbox"/>
	Stable	X			Will Not Occur	X

**Incompatibility (Materials to Avoid)** – Strong acids and oxidizing agents

**Hazardous Decomposition or Byproducts** –Carbon monoxide, carbon dioxide, nitrous oxide.

**Section VI – Health Hazard Data**

Route(s) of Entry:	Eyes? Yes	Inhalation? Yes	Skin? Yes	Ingestion? Yes
--------------------	--------------	--------------------	--------------	-------------------

**Health Hazards (Acute and Chronic)** –

*Acute:*

Eyes—Can cause irritation.

Skin—Can cause irritation.

Ingestion—May cause gastric disturbances.

*Inhalation*—None known

*Chronic:* None

Carcinogenicity:	NTP? N/A	IARC Monographs? N/A	OSHA Regulated? N/A
------------------	-------------	-------------------------	------------------------

**Signs and Symptoms of Exposure:**

Eye and skin irritation

**Medical Conditions Generally Aggravated** –None known

**Emergency and First Aid Procedures.**

*Eyes*—Immediately wash with water for 15 minutes. If irritation develops, get medical attention.

*Skin*—Wash affected areas with soap and water. Remove and launder contaminated clothing before reuse. If irritation develops. Get medical attention.

*Ingestion*—Dilute with water and immediately induce vomiting. Get immediate medical attention.

*Inhalation*—Remove to fresh air

**Section VII – Precautions For Safe Handling and Use**

**Steps to be Taken in Case Material is Released or Spilled –.**

Ventilate area. Absorb with clay-type absorbent and sweep to containment area.

**Waste Disposal Method** – In accordance with federal, state and local regulations.

**Precautions to be Taken in Handling and Storing** –

Keep container closed when not in use. Store away from extremes in temperature

**Other Precautions**— KEEP AWAY FROM CHILDREN

**Section VIII – Control Measures**

**Respiratory Protection (Specify Type)** –

Approved organic vapor respirator, if vapors or mists are generated

Ventilation	Local Exhaust	Satisfactory	Special	N/A
	Mechanical (General)	Only if local is inadequate	Other	N/A

**Protective Gloves** –  
Rubber or PVC

**Eye Protection** –  
Chemical goggles

**Other protective Clothing or Equipment** – Eye wash station

**Work/Hygienic Practices** - Normal. Wash thoroughly before eating, drinking, smoking, using restrooms, etc.

While the information and recommendations set forth herein are believed to be accurate as of the date hereon Omega Industrial Supply Inc. makes no warranty with respect thereto and disclaims all liability from reliance thereon.