

This brief provides a general overview of the **Safety Data Sheet** requirements in the Hazard Communication Standard OSHA's 29 CFR 1910.1200(g) and Appendix D of 29 CFR 1910.1200).

Section 1 ~ Identification

Identity (As Used On Label and List) A1259 FAST-CHERRY	Date Prepared: 07-07-16
Company Information: OMEGA INDUSTRIAL SUPPLY, INC	Emergency Telephone Number: 1-800-424-9300
Address (Number, Street, Suite/Apt#) 101 Grobric Ct #1	Telephone Number for Information: 1-800-571-7347
(City, State, and Zip Code) Fairfield, CA 94534	Signature of Prepare (Optional) REGULATORY DEPT.

Section 2 ~ Hazard(s) Identification

Classification	Dissolved Gas Skin Irritant: Category 2 Eye Irritant: Category 2A Aspiration Hazard: Category 1
Hazard Statement(s)	DANGER: Contains gas under pressure: May explode if heated. Causes skin and serious eye irritation. May be fatal if swallowed and enters airways. This product contains the following percentage of chemicals of unknown toxicity: 0%
Precautionary Statements	Keep away from heat, sparks, open flames, and hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50°C/122°F. Wash hands thoroughly after handling. If in eyes: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical attention. Wear protective gloves and eye protection. If swallowed: immediately call a poison center or a doctor. Do NOT induce vomiting. Store locked up. Dispose of contents/container in accordance with local/regional/national guidelines. IF ON SKIN: Wash with soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Symbols



Hazards Not Otherwise Classified: N/A

Section 3 ~ Composition/Information on Ingredients

Hazardous Ingredient	CAS No.	%(Wt.)
Distillates (petroleum), hydrotreated light	64742-47-8	30 – 60 %
Distillates (Petroleum), Solvent Dewaxed Heady Paraffinic	64742-65-0	15 – 20 %
Carbon Dioxide	124-38-9	1 – 5 %
Trans, 1,2-Dichloroethylene	156-60-5	15 – 20 %

Section 4 ~ First Aid Measures

Eyes: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
Ingestion: If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting.
Inhalation: Move to fresh air. If breathing is difficult, administer oxygen. If not breathing administer artificial respiration. Seek immediate medical attention.
Skin: If on skin: Wash with plenty of water. If skin irritation occurs: get medical attention.
Acute Health Hazards: Eyes: redness, tearing, blurred vision. Skin: defatting and dermatitis
Chronic Health Hazards: Long-term exposure may cause dermatitis
Note to Physician: If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.

Section 5 ~ Fire Fighting Measures

Extinguishing Media: Dry chemical, foam, or Carbon Dioxide (CO2).
Unsuitable Extinguishing Media: Water spray/stream.
Special Fire Fighting Procedures: Wear full protective clothing and NIOSH approved SCBA with full facepiece operated in positive pressure or pressure demand. Use water mist to keep material cool in fire situations.
Unusual Fire and Explosion Hazards: Keep away from sparks, open flames, and hot surfaces. No smoking. Do not spray on an open flame or other ignition source.
Hazardous Combustion Products: Oxides of carbon

Section 6 ~ Accidental Release Measures

Personal Protective Equipment: Refer to section 8 for proper Personal Protective Equipment.
Spill: Absorb spill with non-combustible material such as vermiculite, sand or earth.
Waste Disposal: Do not puncture container, wrap container and place in trash collection.
RCRA Status: Waste likely considered hazardous under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

Section 7 ~ Handling and Storage

Handling and Storage: Protect from sunlight. Store in a well ventilated place. Do not expose to temperatures exceeding 50°C/122°F. Pressurized container: Do not pierce or burn, even after use. Store locked up.
Other Precautions: Vapors may collect in low lying areas. Keep out of the reach of children. Do not ingest. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes.
Incompatibility: Strong oxidizing agents, strong reducing agents, acids.

Section 8 ~ Exposure Controls/Personal Protection

Hazardous Ingredient	OSHA PEL	ACGIH TLV
Distillates (petroleum), hydrotreated light	N/A	200 mg/m3
Distillates (Petroleum), Solvent Dewaxed Heady Paraffinic	5 mg/m3	10 mg/m3
Carbon Dioxide	5000 ppm	5000 ppm
Trans, 1,2-Dichloroethylene	200 ppm	200 ppm

Engineering Controls / Ventilation: Use only in well ventilated areas. Local ventilation/exhaust preferred.
Respiratory Protection: Wear NIOSH/MSHA approved organic vapor respiratory protection if exposure limits are exceeded.
Personal Protective Equipment: Safety glasses and chemical resistant gloves
Additional Measures: Wash hands thoroughly after handling.

Section 9 ~ Physical Chemical Properties

Appearance: Amber tinted spray	Auto-Ignition Temperature: N/D	pH: N/A
Odor: Cherry scent	Lower Flammability Limit: N/D	Solubility In Water: Non-soluble
Odor Threshold: N/D	Upper Flammability Limit: N/D	Partition Coefficient: n-OCTANOL/WATER (KOW): N/D
Boiling Point: N/D	Vapor Pressure (mm Hg): 85 PSI	Volatile Organic Compounds (VOC): 20.2%
Freezing Point: N/D	Vapor Density (AIR=1): > 1 @ 77°F (25°C)	Decomposition Temperature: N/D
Flammability: Not considered a flammable aerosol or an extremely flammable aerosol by OSHA (29CFR 1910.1200)	Evaporation Rate: Slow	Viscosity: N/D
Flash Point: >200°F	Specific Gravity (H2O=1): 0.868	

Section 10 ~ Stability and Reactivity

Reactivity: If exposed to strong oxidizers, presents explosion hazard.
Chemical Stability: Stable
Conditions to Avoid: Excessive heat.

Incompatibility: Strong oxidizing agents, strong reducing agents, acids.
Hazardous Decomposition or By-Product: Oxides of carbon
Possible Hazardous Reactions: None Known

Section 11 ~ Toxicological Information

Toxicological Information: Distillates (petroleum), hydrotreated light (64742-47-8) LD50 Dermal, Rabbit: > 2000 mg/kg, LD50 ral, Rat, >5000 mg/kg
Routes of Entry: Eyes, Ingestion, Inhalation, Skin
Eyes: May cause irritation, redness.
Ingestion: May cause gastrointestinal irritation, nausea, diarrhea, vomiting, aspiration hazard.
Inhalation: Causes mild irritation to the respiratory tract.
Skin: May cause irritation, localized defatting.
Medical Condition Aggravated: None known
Acute Health Hazards: Eyes: redness, tearing, blurred vision
Skin: defatting and dermatitis
Chronic Health Hazards: Long-term exposure may cause dermatitis
Carcinogenicity: OSHA: No ACGIH: No NTP: No IARC: No OTHER: No

Section 12 ~ Ecological Information

Ecological Information: Distillates (petroleum), hydrotreated light (64742-47-8) Not expected to be harmful or demonstrate chronic toxicity toward aquatic organisms. Expected to be readily biodegradable. Do not contaminate water when disposing of equipment washwaters.
Biodegradability: Component or components of this product are not biodegradable.
Bioaccumulation: This product is not expected to bioaccumulate.
Soil Mobility: This product is mobile in soil.
Other Ecological Hazards: None Known

Section 13 ~ Disposal Considerations

Waste Disposal: Do not puncture container, wrap container and place in trash collection.
RCRA Status: Waste likely considered hazardous under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

Section 14 ~ Transportation Information

Proper Shipping Name: Aerosols, Ltd. Qty.
Hazard Class/Division: 2.2
UN/NA Number: UN 1950
Packaging Group: N/A

Air Shipment
Proper Shipping Name: Aerosols, Ltd. Qty.
Hazard Class/Division: 2.2
UN/NA Number: UN 1950

Shipping By Water: VESSEL (IMO/IMDG)
Proper Shipping Name: Aerosols, Ltd. Qty.
Hazard Class/Division: 2.2
UN/NA Number: UN 1950
Environmental Hazards Water: N/A

Section 15 ~ Regulatory Information

TSCA Status: All Chemicals are listed or exempt.
CERCLA (Comprehensive Response Compensation, And Liability Act): None
SARA 311/312 Hazard Categories: None
SARA 313 Reportable Ingredients: None
State Regulations: California Proposition 65: None
International Regulations: All components are listed or exempted.

Section 16 ~ Other Information

	NFPA	HMIS	Key
HEALTH	2	2	4= Severe
FLAMMABILITY	1	1	3= Serious
REACTIVITY	0	0	2= Moderate
OTHER/PROTECTION	None	B	1= Slight 0= Minimal

Disclaimer: Omega Industrial Supply, Inc. To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.