

## Section 1 ~ Identification

<b>Identity (As Used On Label and List)</b> <b>A1057 POLISH ALL</b>	<b>Date Prepared:</b> 07-29-2016
<b>Company Information:</b> OMEGA INDUSTRIAL SUPPLY, INC	<b>Emergency Telephone Number:</b> 1-800-424-9300
<b>Address (Number, Street, Suite/Apt#)</b> 101 Grobric Ct #1	<b>Telephone Number for Information:</b> 1-800-571-7347
<b>(City, State, and Zip Code)</b> Fairfield, CA 94534	<b>Signature of Prepare (Optional)</b> REGULATORY DEPT.

## Section 2 ~ Hazard(s) Identification

<b>Physical Hazards</b>	Flammable aerosol	Category 1
<b>Health Hazards</b>	Sensitization, skin Aspiration hazard	Category 1 Category 1
<b>OSHA Defined Hazards</b>	Not classified.	

<b>Label Elements</b>	  	<b>Signal Word:</b> Danger.
-----------------------	---	-----------------------------

**Hazard Statement** Extremely flammable aerosol. May be fatal if swallowed and enters airways. May cause an allergic skin reaction.

### Precautionary Statement

#### Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing gas. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves.

#### Response

**If swallowed:** Immediately call a poison center/doctor. Do NOT induce vomiting. **If on skin:** Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

#### Storage

Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

#### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Hazard(s) not Otherwise Classified (HNOC)

None known.

### Supplemental Information

None.

## Section 3 ~ Composition/Information on Ingredients

### Mixtures

Chemical Name	Common Name & Synonyms	CAS No.	%(Wt.)
Distillates (Petroleum) Hydrotreated		64742-47-8	10 – 20
Butane		106-97-8	2.5 – 10
Propane		74-98-6	2.5 – 10
Orange Terpenes		68647-72-3	0.1 – 1
Other components below reportable levels			60 – 80

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## Section 4 ~ First Aid Measures

**Inhalation:** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin Contact:** In case of eczema or other skin disorders: Seek medical attention and take along these instructions.

**Eye Contact:** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion:** Rinse mouth. Get medical attention if symptoms occur.

**Most Important Symptoms/Effects, Acute and Delayed:** Aspiration may cause pulmonary edema and pneumonitis. May cause an allergic skin reaction. Dermatitis. Rash.

**Indication of Immediate Medical Attention and Special Treatment Needed:** Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

**General Information:** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

## Section 5 ~ Fire Fighting Measures

**Suitable Extinguishing Media:** Alcohol resistant foam. Powder. Dry chemicals. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable Extinguishing Media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific Hazards Arising from The Chemical:** Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

**Special Protective Equipment and Precautions for Firefighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

**Fire-Fighting Equipment/Instructions:** Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

**Specific Methods:** Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.

**General Fire Hazards:** Extremely flammable aerosol.

## Section 6 ~ Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Methods and Materials for Containment and Cleaning Up:** Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

**Environmental Precautions:** Avoid discharge into drains, water courses or onto the ground.

## Section 7 ~ Handling and Storage

**Precautions for Safe Handling:** Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid breathing gas. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

**Conditions for Safe Storage, Including Any Incompatibilities:** Level 1 Aerosol. Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

**Section 8 ~ Exposure Controls/Personal Protection****Occupational Exposure Limits:**

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Propane (74-98-6)	PEL	1800 mg/m <sup>3</sup> 1000 ppm

**US. ACGIH Threshold Limit Values**

Components	Type	Value
Butane (106-97-8)	STEL	1000 ppm

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value
Butane (106-97-8)	TWA	1900 mg/m <sup>3</sup> 800 ppm
Propane (74-98-6)	TWA	1800 mg/m <sup>3</sup> 1000 ppm

**Biological Limit Values:** No biological exposure limits noted for the ingredient(s).**Appropriate Engineering Controls:** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.**Individual Protection Measures, Such as Personal Protective Equipment****Eye/Face Protection:** Face shield is recommended. Wear safety glasses with side shields (or goggles).**Skin Protection****Hand Protection:** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.**Other:** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.**Respiratory Protection:** If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.**Thermal Hazards:** Wear appropriate thermal protective clothing, when necessary.**General Hygiene Considerations:** When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.**Section 9 ~ Physical and Chemical Properties**

<b>Appearance</b>	<b>Evaporation Rate:</b> Not available.	<b>Solubility(ies)</b>
<b>Physical State:</b> Gas.	<b>Flammability (solid, gas):</b> Not available.	<b>Solubility (water):</b> Not available.
<b>Form:</b> Aerosol.	<b>Upper/Lower Flammability or Explosive Limits</b>	<b>Partition Coefficient (n-octanol/water):</b> Not available.
<b>Color:</b> Not available.	<b>Flammability Limit – Lower (%):</b> Not available.	<b>Auto-ignition Temperature:</b> Not available.
<b>Odor:</b> Not available.	<b>Flammability Limit – Upper (%):</b> Not available.	<b>Decomposition Temperature:</b> Not available.
<b>Odor Threshold:</b> Not available.	<b>Explosive Limit – Lower (%):</b> Not available.	<b>Viscosity:</b> Not available.
<b>pH:</b> Not available.	<b>Explosive Limit – Upper (%):</b> Not available.	<b>Other Information</b>
<b>Melting Point/Freezing Point:</b> Not available.	<b>Vapor Pressure:</b> 50 psig @70F estimated	<b>Explosive Properties:</b> Not explosive.
<b>Initial Boiling Point and Boiling Range:</b> 213.67°F (100.93°C) estimated	<b>Vapor Density:</b> Not available.	<b>Oxidizing Properties:</b> Not oxidizing.
<b>Flash Point:</b> -156.0°F (-104.4°C) PROPELLANT estimated	<b>Relative Density:</b> Not available.	<b>Specific Gravity:</b> 0.903 estimated

**Section 10 ~ Stability and Reactivity****Reactivity:** The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical Stability: Material is stable under normal conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization does not occur.**Conditions to Avoid:** Avoid temperatures exceeding the flash point. Contact with incompatible materials.**Incompatibility Materials:** Strong oxidizing agents. Nitrates. Fluorine. Chlorine.**Hazardous Decomposition Products:** No hazardous decomposition products are known.**Section 11 ~ Toxicological Information****Information on Likely Routes of Exposure****Inhalation:** No adverse effects due to inhalation are expected.**Skin Contact:** May cause an allergic skin reaction.**Eye Contact:** Direct contact with eyes may cause temporary irritation.**Ingestion:** Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.**Symptoms Related to the Physical, Chemical and Toxicological Characteristics:** Aspiration may cause pulmonary edema and pneumonitis. May cause an allergic skin reaction.

Dermatitis. Rash.

**Information on Toxicological Effects****Acute Toxicity:** May be fatal if swallowed and enters airways. May cause an allergic skin reaction.

Components	Species	Test Results
Butane (106-97-8)		
<b>Acute Inhalation</b>		
LC50	Mouse	1237 mg/l, 120 Minutes 52%, 120 Minutes 1355 mg/l
	Rat	
Distillates (Petroleum), Hydrotreated Light (64742-47-8)		
<b>Acute Dermal</b>		
LD50	Rabbit	>2000 mg/kg >2000 mg/kg, 24 Hours
<b>Inhalation</b>		
LC50	Rat	>7.5 hg/l, 6 Hours >4.6 mg/l, 4 Hours
<b>Oral</b>		
LD50	Rat	>5000 mg/kg
Propane (74-98-6)		
<b>Acute Inhalation</b>		
LC50	Mouse	1237 mg/l, 120 Minutes 52%, 120 Minutes 1355 mg/l
	Rat	658 mg/l/4h

\* Estimates for product may be based on additional component data not shown.

**Skin Corrosion/Irritation:** Prolonged skin contact may cause temporary irritation.**Serious Eye Damage/Eye Irritation:** Direct contact with eyes may cause temporary irritation.**Respiratory or Skin Sensitization****Respiratory Sensitization:** Not a respiratory sensitizer.**Skin Sensitization:** May cause an allergic skin reaction.**Germ Cell Mutagenicity:** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity:** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**IARC Monographs. Overall Evaluation of Carcinogenicity:** Not listed.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):** Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens:** Not listed.

**Reproductive Toxicity:** This product is not expected to cause reproductive or developmental effects.

**Specific Target Organ Toxicity - Single Exposure:** Not classified.

**Specific Target Organ Toxicity - Repeated Exposure:** Not classified.

**Aspiration Hazard:** May be fatal if swallowed and enters airways.

## Section 12 ~ Ecological Information

**Ecotoxicity:** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
Distillates (Petroleum), Hydrotreated Light (64742-47-8)		
<b>Aquatic</b>		
Fish	LC50 Rainbow trout, donaldson trout ( <i>Oncorhynchus mykiss</i> )	2.9 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

**Persistence and Degradability:** No data is available on the degradability of this product.

### Bioaccumulative Potential

**Partition coefficient n-octanol / water (log Kow)**

Butane 2.89 Propane 2.36

**Mobility in Soil:** No data available

**Other Adverse Effects:** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## Section 13 ~ Disposal Considerations

**Disposal Instructions:** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local Disposal Regulations:** Dispose in accordance with all applicable regulations.

**Hazardous Waste Code:** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from Residues / Unused Products:** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated Packaging:** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

## Section 14 ~ Transportation Information

DOT	IATA	IMDG
<b>UN Number:</b> UN1950	<b>UN Number:</b> UN1950	<b>UN Number:</b> UN1950
<b>UN Proper Shipping Name:</b> Aerosols, flammable, (each not exceeding 1 L capacity)	<b>UN Proper Shipping Name:</b> Aerosols, flammable	<b>UN Proper Shipping Name:</b> AEROSOLS
<b>Transport Hazard Class(es)</b>	<b>Transport Hazard Class(es)</b>	<b>Transport Hazard Class(es)</b>
Class: 2.1	Class: 2.1	Class: 2.1
<b>Subsidiary Risk -</b>	<b>Subsidiary Risk -</b>	<b>Subsidiary Risk -</b>
Label(s): 2.1	Label(s): 2.1	Label(s): None
<b>Packing Group:</b> Not applicable.	<b>Packing Group:</b> Not applicable.	<b>Packing Group:</b> Not applicable.
<b>Special Provisions:</b> N82	<b>Environmental Hazards:</b> No.	<b>Environmental Hazards</b>
<b>Packaging Exceptions:</b> 306	<b>ERG Code:</b> 10L	<b>Marine Pollutant:</b> No.
<b>Packaging Non Bulk:</b> None	<b>Other Information</b>	<b>EmS:</b> F-D, S-U
<b>Packaging Bulk:</b> None	<b>Passenger and Cargo Aircraft:</b> Allowed with restrictions.	<b>Packaging Exceptions:</b> LTD QTY
	<b>Cargo Aircraft Only:</b> Allowed with restrictions.	<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:</b> Not applicable
	<b>Packaging Exceptions:</b> LTD QTY	

**Special Precautions for User:** Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

DOT



IATA:IMDG



## Section 15 ~ Regulatory Information

**US Federal Regulations:** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D):** Not Regulated

**CERCLA Hazardous Substance List (40 CFR 302.4):** Not Listed.

**SARA 304 Emergency Release Notification:** Not Regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):** Not Regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard Categories:** Immediate Hazard – Yes Delayed Hazard – No Fire Hazard – Yes Pressure Hazard – Yes Reactivity Hazard – No

**SARA 302 Extremely Hazardous Substance:** Not Listed.

**SARA 311/312 Hazardous Chemical:** No

**SARA 313 (TRI reporting):** Not Regulated.

### Other Federal Regulations

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List:** Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):** Butane (106-97-8)

Propane (74-98-6)

**Safe Drinking Water Act (SDWA):** Not regulated.

### US State Regulations

**US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100):** Not listed.

**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)):** Butane (106-97-8)

**US. Massachusetts RTK - Substance List**

**US. New Jersey Worker and Community**

**US. Pennsylvania Worker and**

**US. Rhode Island RTK**

Butane (106-97-8)

**Right-to-Know Act**

**Community Right-to-Know Law**

Butane (106-97-8)

Propane (74-98-6)

Butane (106-97-8)

Butane (106-97-8)

Propane (74-98-6)

Propane (74-98-6)

Propane (74-98-6)

**US. California Proposition 65:** California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No

China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

---

### Section 16 ~ Other Information

---

	NFPA	HMIS	Key
HEALTH	1	1	4= Severe
FLAMMABILITY	2	2	3= Serious
REACTIVITY	0	0	2= Moderate
OTHER/PROTECTION	-	X	1= Slight 0= Minimal

Disclaimer: Omega Industrial Supply, Inc. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.