### **Safety Data Sheet**

May be used to Comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200(q). Standard must be Consulted for specific requirements

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that

Identity (As Used On Label and List) B4174 H20 BarrierBag	<b>Date Prepared:</b> 02-01-2016			
Section 1 ~ Identification				
Manufactured for: OMEGA INDUSTRIAL SUPPLY, INC	Emergency Telephone Number: 1-800-424-9300			
Address (Number, Street, Suite/Apt#) 101 Grobric Ct #1	<b>Telephone Number for Information:</b> 1-800-571-7347			
(City, State, and Zip Code) Fairfield, CA 94534	Signature of Prepare (Optional) REGULATORY DEPT.			

Section 2 ~ Composition/Information on Ingredients

Components					
(Specific Chemical Identity, Common Name(s))	CAS No.	LD <sub>50</sub> of ingredient	LC <sub>50</sub> of ingredient	% Vol.	%(Wt.)
Outer material		RAT 40 mg/kg: Oral Acute Toxicity			
Polypropylene	9003-07-0				> 99%
Black pigment	N/A				<.3%
Inner Material: Sodium Polyacrylate	9003-04-7				100

**Notes:** Sodium Polyacrylate is a white, granular, odorless polymer that yields a gel-like material with the addition of water. It is insoluble in water and causes extremely slippery condition when wet. Although not regulated as a hazardous material, the respirable dust is a potential respiratory tract irritant. The manufacturer recommends an 8 hour exposure limit of  $0.05 \text{mg/m}^3$ .

### Section 3 ~ Hazard(s) Identification

EMERGENCY OVERVIEW: Not a dangerous substance according to GHS classification criteria.

Contents of Expandable Water Bag if outer material is punctured: (outer fabric not applicable)

Eyes — Flush eyes with large amounts of water if contact or irritation occurs.

Skin — Wash off in flowing water or shower.

Inhalation — Seek well ventilated area. If irritation, severe coughing or breathing difficulty persists seek medical attention.

Ingestion — No adverse effects anticipated by this route of exposure.

Health Hazards (Chronic) - If fabric is open, may cause mild mechanical irritation to eyes, skin & respiratory tract.

Medical Conditions Generally Aggravated By Exposure - Pre-existing eye or respiratory disorders.

### Section 4~ First Aid Measures

Eyes—Flush with water for 15 minutes. If discomfort persists, seek medical attention.

Skin—Not applicable/outer fabric: If molten, treat as thermal burn

Inhalation—Remove persons to fresh air if excessive amounts of dust inhaled. Try to expel any material in breathing passages. If irritation persists, severe coughing or respiratory difficulty occur, seek medical attention.

Ingestion—Not considered harmful in small quantities. If discomfort persists, seek medical attention.

# Section 5 ~ Fire Fighting Measures

Flash Point (Method Used): None	Flammable Limits	LEL:	N/E	UEL:	N/E	

Extinguishing Media — Water, dry chemical, foam, carbon dioxide, halon (use media appropriate to conditions).

Special Fire Fighting Procedures — Wear a self-contained breathing apparatus & refer to absorbed liquid(s) SDS

**Unusual Fire and Explosion Hazards** — Caution: Contents slippery when wet.

Hazardous Decomposition Products — When heated above melting point – Outer fabric: Carbon monoxide, carbon dioxide, acrollein, ketones, aldehystes and other unidentified organic compounds.

### Section 6 ~ Accidental Release Measures

#### Steps to be Taken in Case Material is Released or Spilled -

**Containment** — Sweep or vacuum material when possible & shovel into a waste container.

Clean up — Use caution after contact with water, as extremely slippery conditions will result. Residuals may be flushed with water into the drain for normal wastewater treatment. This is a non-hazardous waste suitable for disposal in an approved solid waste landfill.

**Evacuation** — None required

Special — Avoid respirable dust inhalation during clean-up. Wear appropriate respirator.

## Section 7 ~ Handling and Storage

# Precautions to be Taken in Handling and Storing -

Store in a dry closed container. Keep container closed to prevent. Absorption of moisture. Handle as an eye and respiratory tract irritant

Work/Hygienic Practices - Observe good hygiene. Wash hands thoroughly after product use, eating, drinking, and using restrooms, etc.

# Section 8 ~ Exposure Controls/Personal Protection

Engineering Controls –	Ventilation —
This product is not regulated as a hazardous material.	Not required.

							Page 2 of 2	
Skin Protection – Not applicable.		Eye Protection – Not required worn for good industrial pr		y glasses can be	Respiratory Not required	y Protection-	-	
Section 9 ~ Physical Chemical	Propertie		ractice.		Not required	1.		
Boiling Point	Горсти		Sno	cific Gravity (H <sub>2</sub> 0	0 = 1)			
		Not applicable		• ` -	<u> </u>		1.5	
Vapor Pressure (mm/hg)		Not applicable		Melting Point			Not applicable/Outer Fabric: 248 - 338°F	
Vapor Density (Air=1)		Not applicable		Evaporation Rate (Butyl Acetate = 1)			Not applicable	
Solubility in Water	solubl	rells in water, slightly water le/outer fabric: Not applicable.	pН				5.5 – 6.5 (1% in water)	
Appearance and Odor—Inner contents Outer contents		nular powder. k needle punch fabric. No odoi	r. VO	C%			-	
Section 10 ~ Stability and Read	tivity							
Stability: Unstable Stal	ole 🛚	Conditions to Avoid – Open flames and sparks.		Hazardous Polymerization	May :	Occur	Will Not Occur	
Incompatibility (Materials to Avoid) – Strong oxidizing bases may degrade oute		rates internal product.		ous Decomposition c fumes when hear		ucts – Not est	ablished. Outer fabric may	
Section 11 ~ Toxicological Info	rmation							
Toxicological Information: Acute inhal Acute Toxicity – LD50/LC50 Sodium P. Section 11 Notes: Chronic inhalation ex than 10 microns) produced non-specific in the absence of chronic inflammation, to Section 12 ~ Ecological Inform	olyacrylate, posure to ra nflammatio umors are n	LD50: Oral LD50 Rat: 40 mg/ tts for lifetime (2 years) using S n and chronic lung injury at 0.2	/kg Sodium Po 2mg/m3 ar	lyacrylate that had ad 0.8mg/m3. also	l been micron , at 0.8mg/m3	ized to a respi	irable particle size (less e seen in some test animals.	
Ecological Information: Composted Po		haarhanta ara nan tayia ta agus	tia ar tarra	strial arganisms a	t pradicted av	nogura lavala	from aureant application	
rates. Section 12 Notes: Polyacrylate absorben with the mobile interaction showing biod small quantities of Polyacrylic absorbent	ts are relative	vely inert & anaerobic condition. They are also compatible wit	ns. They a	re immobile in lar	ndfills & soil s	systems (great	ter than 90% retention),	
Section 13 ~ Disposal Consider	ations	•						
Waste Disposal Method — If unused, n hazardous wastes. Dispose of in accordar classify the resulting spent material as a l service and the appropriate manifesting of	nce with Fed nazardous co	leral, State and local regulation	ns. In certa	in types of cleanup	p applications	the nature of	the material recovered will	
RCRA Hazard Class: None								
Section 14 ~ Transport Inform	ation							
This product is not transport regulated.								
Section 15 ~ Regulatory Inform	nation							
U.S. Federal Regulation: No component TSCA (Toxic Substance Control Act): CERCLA (Comprehensive Response CSARA TITLE III (Superfund Amendm 311/312 Hazard Categories: 313 Reportable Ingredients: State Regulations: International Regulations: Section 15 notes: This product is not stalisted. Sodium Polyacrylate (9003-04-7)	ts are listed All ingredic Compensati nents and R	ents are listed.  on, and Liability Act): No rep Reauthorization Act): No liste  lly regulated as a hazardous ma	d ingredie	nt.  R references for the		lated compon	ents in this product are	
Section 16 ~ Other Information	1							
	NFPA	HMIS				Key		
HEALTH	1	0			4=	Severe		
FLAMMABILITY	1	1			3=	Serious		
REACTIVITY	1	1			2=	Moderate		

Disclaimer: The information herein is presented in good faith and believed to be accurate as of the effective date given. However, no warranty, expressed or implied, is given. It is the buyer's responsibility to ensure that its activities comply with federal, state or local laws.

Slight

Minimal

0 =

OTHER/PROTECTION