

## Section 1 ~ Identification

<b>Identity (As Used On Label and List)</b> <b>A1053 JELL STRIP</b>	<b>Date Prepared:</b> 02-07-2017
<b>Company Information:</b> OMEGA INDUSTRIAL SUPPLY, INC	<b>Emergency Telephone Number:</b> 1-800-424-9300
<b>Address (Number, Street, Suite/Apt#)</b> 101 Grobric Ct #1	<b>Telephone Number for Information:</b> 1-800-571-7347
<b>(City, State, and Zip Code)</b> Fairfield, CA 94534	<b>Signature of Prepare (Optional)</b> REGULATORY DEPT.

## Section 2 ~ Hazard(s) Identification

<b>Classification</b>	Flammable Aerosol: Category 2 Liquefied Gas Acute Toxicity Oral: Category 4 Skin Irritant: Category 2 Eye Irritant: Category 2B Carcinogenicity: Category 2 Specific Target Organ Toxicity (Repeated Exposure): Category 1
<b>Hazard Statement(s)</b>	Flammable Aerosol Contains gas under pressure; May explode if heated. Harmful if swallowed. Causes skin and eye irritation. Suspected of causing cancer. Causes damage to eyes and Central nervous system with prolonged or repeated exposure. This product contains the following percentage of chemicals of unknown toxicity: 0%
<b>Precautionary Statements</b>	Keep away from heat, sparks, open flames, and hot surfaces. -No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Wash hands thoroughly after handling. Do not eat, drink, or smoke when using this product. <b>If on skin:</b> Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. <b>If in eyes:</b> Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. <b>If swallowed:</b> Call a poison center or doctor if you feel unwell. Rinse mouth. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. If exposed or concerned: Get medical advice or attention. Dispose of contents and container in accordance with local, state, and national regulations. Do not breathe fumes, mist, vapors, or spray.

### Symbols



**Hazards Not Otherwise Classified:** N/A

## Section 3 ~ Composition/Information on Ingredients

Hazardous Ingredient	CAS No.	%(WT)
Methylene Chloride	75-09-2	40 – 70%
Propane/n-Butane	68476-86-8	10 – 30%
Methyl Alcohol	67-56-1	7 – 13%

## Section 4 ~ First Aid Measures

**Eyes:** Immediately flush with water for 15 minutes while holding eyelids open. Seek immediate medical attention.  
**Ingestion:** If swallowed: Rinse mouth. Do NOT induce vomiting. Get medical advice or attention.  
**Inhalation:** Move to fresh air. If not breathing administer artificial respiration. Seek immediate medical attention.  
**Skin:** Immediately wash with soap and water for 15 minutes. Remove contaminated clothing and shoes immediately. Seek medical attention if irritation develops.  
**Acute Health Hazards:** Eyes: redness, tearing, blurred vision  
 Skin: defatting and dermatitis  
 Inhalation: Irritation  
 Oral: abdominal irritation, nausea, vomiting, and diarrhea  
**Chronic Health Hazards:** Possible cancer causing agent and overexposure may also include damage to kidneys, liver, dizziness, headache, nausea, mental confusion, visual disturbances, dermatitis, lungs, blood, or central nervous system.  
**Note to Physician:** Do not administer adrenaline or epinephrine to a victim of chlorinated solvent poisoning. This product contains ingredients that may be anticipated to be a carcinogen.

## Section 5 ~ Fire Fighting Measures

**Extinguishing Media:** Dry Chemical, foam, or Carbon Dioxide (CO2).  
**Unsuitable Extinguishing Media:** Water spray/stream.  
**Special Fire Fighting Procedures:** Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires. Use water spray only to cool exposed containers.  
**Unusual Fire and Explosion Hazards:** Keep away from sparks, open flames, and hot surfaces. No smoking. Do not spray on an open flame or other ignition source.  
**Hazardous Combustion Products:** Oxides of carbon, chlorine, hydrogen chloride and phosgene.

## Section 6 ~ Accidental Release Measures

**Personal Protective Equipment:** Refer to section 8 for proper Personal Protective Equipment.  
**Spill:** Remove sources of ignition such as pilot lights. Material is heavier than air and can settle in low lying areas in flammable concentrations, ventilate area. Product will undergo rapid evaporation. Use absorbent or spill sweep to clean. Small releases may be wiped up with wiping material. Dispose of residue in accordance with federal, state and local guidelines. Do not reuse empty container. Smaller containers should be rinsed and placed in trash collection.  
**Waste Disposal:** Dispose of in accordance with local, state and federal regulations. Do not puncture container, wrap container and place in trash collection.  
**RCRA Status:** Waste solvent likely considered U080 (Methylene Chloride), hazardous, under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

## Section 7 ~ Handling and Storage

**Handling And Storage:** Protect from sunlight. Store in a well ventilated place. Do not expose to temperatures exceeding 50°C/122°F. Pressurized container: Do not pierce or burn, even after use.  
**Other Precautions:** Use gloves, lab coat or apron, splash goggles, and use a vapor respirator approved/certified respirator or equivalent when ventilation is not adequate.  
**Incompatibility:** Strong oxidizing agents, strong caustics, plastics, rubber, nitric acid, water + heat, and chemically active metals such as aluminum and magnesium powder, sodium, potassium, and lithium. Avoid contact with open flames and electrical arcs. Liquid methylene chloride will attack some forms of plastics, rubber, and coatings.

## Section 8 ~ Exposure Controls/Personal Protection

Hazardous Ingredient	OSHA PEL	ACGIH TLV
Methylene Chloride	25 ppm	50 ppm
Propane/n-Butane	1000 ppm	1000 ppm
Methyl Alcohol	200 ppm	200 ppm

**Engineering Controls / Ventilation:** Material is heavier than air. Material may concentrate in low lying areas. Normal, forced ventilation required to meet TLV requirements. Local exhaust ventilation is generally preferred.

**Respiratory Protection:** Wear NIOSH/MSHA approved organic vapor respiratory protection if used in confined, poorly ventilated areas.

**Personal Protective Equipment:** Safety glasses and chemical resistant gloves

**Additional Measures:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

### Section 9 ~ Physical Chemical Properties

<b>Appearance:</b> Viscous, Hazy Spray	<b>Autoignition Temperature:</b> N/D	<b>pH:</b> N/A
<b>Odor:</b> Chlorinated solvent odor	<b>Lower Flammability Limit:</b> N/D	<b>Solubility in Water:</b> 14%
<b>Odor Threshold:</b> 21mg/m <sup>3</sup> (Methylene Chloride)	<b>Upper Flammability Limit:</b> N/D	<b>Partition Coefficient: n-OCTANOL/WATER (KOW):</b> N/D
<b>Boiling Point:</b> >104 °F (40°C)	<b>Vapor Pressure (mm Hg):</b> >100	<b>Volatile Organic Compounds (VOC):</b> 32%
<b>Freezing Point:</b> N/D	<b>Vapor Density (AIR=1):</b> > 2	<b>Decomposition Temperature:</b> N/D
<b>Flammability:</b> Flammable Aerosol	<b>Evaporation Rate:</b> >2	<b>Viscosity:</b> N/D
<b>Flash Point:</b> N/D	<b>Specific Gravity (H2O=1):</b> 1.185 @ 77°F (25°C)	

### Section 10 ~ Stability and Reactivity

**Reactivity:** Chemically active metals and acids

**Chemical Stability:** Stable

**Conditions to Avoid:** Temperatures greater than 122°F and sources of ignition.

**Incompatibility:** Strong oxidizers, strong caustics, plastics, rubber, nitric acid, water + heat, and chemically active metals such as aluminum and magnesium powder, sodium, potassium, and lithium. Avoid contact with open flames and electrical arcs. Liquid methylene chloride will attack some forms of plastics, rubber, and coatings.

**Hazardous Decomposition or By-Product:** Oxides of carbon, chlorine, hydrogen chloride and phosgene.

**Possible Hazardous Reactions:** None Known

### Section 11 ~ Toxicological Information

**Toxicological Information: Methylene Chloride (75-09-2):** LD50 (Oral, Rat) >2000 mg/kg. LD50 (Dermal Rat) >2000 mg/kg. LC50 (Inhalation, Rat) 52000 mg/m<sup>3</sup>. **Methanol (67-56-1)**

LD50 (Oral) 100 mg/kg; LD50 (Dermal) 300 mg/kg

**Routes of Entry:** Eyes, Ingestion, Inhalation, Skin

**Eyes:** Causes irritation, redness, tearing, pain, may cause eye damage.

**Ingestion:** Nausea, vomiting, headaches, abdominal pain, diarrhea, dizziness, tremor, drowsiness, pulmonary edemas, absorption through the gastrointestinal tract may produce symptoms of CNS depression ranging from unconsciousness to death.

**Inhalation:** Irritation to respiratory tract, dizziness, headache, nausea, depression of central nervous system, prolonged exposure may cause unconsciousness, heart effects, liver effects, kidney effects, and death.

**Skin:** Irritation likely, redness and pain. May cause localized defatting, blistering with prolonged skin contact. May be absorbed through the skin.

**Medical Condition Aggravated:** Excessive exposure will aggravate pre-existing disorders of eyes, skin, respiratory, liver, kidney, cardiovascular system, pulmonary illnesses, or central nervous system.

**Acute Health Hazards:** Eyes: redness, tearing, blurred vision

Skin: defatting and dermatitis

Inhalation: Irritation

Oral: abdominal irritation, nausea, vomiting, and diarrhea

**Chronic Health Hazards:** Possible cancer causing agent and overexposure may also include damage to kidneys, liver, dizziness, headache, nausea, mental confusion, visual disturbances, dermatitis, lungs, blood, or central nervous system.

**Carcinogenicity:**

OSHA: Yes

ACGIH: A3-Animal Carcinogen

NTP: 2-Anticipated

IARC: 2B-Possible

OTHER: CA Prop 65

### Section 12 ~ Ecological Information

**Ecological Information: Methylene Chloride (75-09-2) Fish:** Bluegill/Sunfish: 230mg/L; 24H; StaticFish: Fathead Minnow: 196mg/L; 96H **Methanol (67-56-1) LC50 (Pimephales promelas [flow-through], 96hrs) 28200 mg/L. LC50 (Pimephales promelas [static], 96hrs) >100 mg/L.**

**Biodegradability:** Component or components of this product are not biodegradable.

**Bioaccumulation:** This product is not expected to bioaccumulate.

**Soil Mobility:** This product is mobile in soil.

**Other Ecological Hazards:** This material is toxic to aquatic life.

### Section 13 ~ Disposal Considerations

**Waste Disposal:** Dispose of in accordance with federal, state, and local regulations. Do not reuse, puncture, or incinerate container. Wrap container and place in trash collection.

**RCRA Status:** Waste solvent likely considered U080 (Methylene Chloride), hazardous, under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

### Section 14 ~ Transportation Information

**Proper Shipping Name:** Aerosols, Ltd. Qty.

**Hazard Class/Division:** 2.1 (6.1)

**UN/NA Number:** UN 1950

**Packaging Group:** N/A

**Air Shipment**

**Proper Shipping Name:** Aerosols, Flammable, Toxic, Containing Substances in Division 6.1 Packaging Group III

**Hazard Class/Division:** 2.1 (6.1)

**UN/NA Number:** UN 1950

**Packaging Group:** N/A

**Shipping by Water: Vessel (IMO/IMDG)**

**Proper Shipping Name:** Aerosols, Toxic

**Hazard Class/Division:** 2.1 (6.1)

**UN/NA Number:** UN 1950

**Packaging Group:** N/A

**Environmental Hazards Water:** N/A

### Section 15 ~ Regulatory Information

**TSCA Status:** All Chemicals are listed or exempt.

**CERCLA (Comprehensive Response Compensation and Liability Act): Methanol (67-56-1) Reportable Quantity = 5,000 lbs Methylene Chloride (75-09-2) Reportable Quantity = 1,000 lbs**

**SARA 311/312 Hazard Categories:** Methylene Chloride - 75-09-2; hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200), Methanol - 67-56-1

**SARA 313 Reportable Ingredients:** Methylene Chloride - 75-09-2

**State Regulations:** California Prop 65: This product contains the following ingredients for which the state of California has found to cause cancer, birth defects or other reproductive harm.

**Methylene Chloride (75-09-2) RTK:** PA, MA, NJ.

**International Regulations:** WHMIS (Canada): Class D-1B material causing immediate and serious toxic effects(toxic). Class D-2A: Material causing other toxic effects (very toxic). DSEL (EEC): R22 – Harmful if swallowed. R38- irritating to skin. R41- Risk of serious damage to eyes. R45- May cause cancer.

### Section 16 ~ Other Information

N/A= Not Applicable; N/D= Not Determined

	NFPA	HMIS	Key
HEALTH	3	3	4= Severe
FLAMMABILITY	2	2	3= Serious
REACTIVITY	0	0	2= Moderate
OTHER/PROTECTION	None	B	1= Slight
			0= Minimal

Disclaimer: Omega Industrial Supply, Inc. To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.