

Material Safety Data Sheet

May be used to Comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be Consulted for specific requirements

HMIS

HEALTH

2

REACTIVITY

-

FLAMMABILITY

1

PERSONAL PROTECTION

-

Identity (As Used On Label and List)

Date Prepared

B5140 P.P.P. (Pan Plug Patch)

05-25-2011

Section I

Manufactured for:
OMEGA INDUSTRIAL SUPPLY, INC

Emergency Telephone Number:
1-800-424-9300

Address (Number, Street, Suite/Apt#)
101 Grobrie Ct #1

Telephone Number for Information:
1-800-571-7347

(City, State, and Zip Code)
Fairfield, CA 94534

Signature of Prepare (Optional)
REGULATORY DEPT.

Section II - Ingredients / Identity Information

Components (Specific Chemical Identity, Common Name(s))	CAS No.	OSHA PEL	ACGIH-TWA	% (Wt.)
Modified Cycloaliphatic Polyamine	Mixture	N/E	N/E	30-40%
Polyamide Resin	Mixture	N/E	N/E	45 - 50%
Diethylene Triamene	111-40-0	1 ppm	1 ppm (skin)	5 - 10%

Section 313 Supplier Information: this product contains the following chemicals subject to the reporting requirements of section 313 of The Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372. This information must be included on the MSDS copied and distributed for this material.

Section III - Physical Chemical Characteristics

Boiling Point	N/E	Specific Gravity (H ₂ O = 1)	1.01
Vapor Pressure	N/E	Melting Point	N/E
Vapor Density (Air=1)	N/E	Evaporation Rate (Butyl Acetate = 1)	N/E
Solubility in Water	Moderate	Appearance and Odor—	Amber liquid, amine odor.

Section IV - Fire and Explosion Hazard Data

Flash Point (Method)	230°F(SETA)	Flammable Limits	LEL	N/E	UEL	N/E
----------------------	-------------	------------------	-----	-----	-----	-----

Extinguishing Media - Water, carbon dioxide, dry chemical or foam.

Special Fire Fighting Procedures - Wear self-contained breathing apparatus and complete personal protective equipment where potential for exposure to vapors or products of combustion exists.

Unusual Fire and Explosion Hazards - Decomposition and combustion products may be toxic.

Section V - Reactivity Data

Stability:	Unstable <input type="checkbox"/>	Stable <input checked="" type="checkbox"/>	Conditions to Avoid - Excessive heat.	Hazardous Polymerization:	May Occur <input type="checkbox"/>	Will Not Occur <input checked="" type="checkbox"/>
------------	-----------------------------------	--	---------------------------------------	---------------------------	------------------------------------	--

Incompatibility (Materials to Avoid) - Strong oxidizers.

Hazardous Decomposition Products - Carbon monoxide, carbon dioxide, aldehydes and oxides of nitrogen.

Section VI - Health Hazard Data

Route(s) of Entry:	Eyes?	-	Inhalation?	Yes	Skin?	Yes	Ingestion?	Yes
Carcinogenicity:	NTP?	Not Listed	IARC Monographs?	Not Listed	OSHA Regulated?	Not Listed		

Signs and Symptoms of Exposure (Acute and Chronic):

Eyes - Causes irritation and burns. May cause permanent visual impairment.

Skin - Causes irritation and burns. May be absorbed through skin in harmful amounts.

Inhalation - May cause upper respiratory tract irritation, mucous membrane irritation.

Ingestion - May cause burns of mouth and throat. May cause gastrointestinal irritation or ulceration.

Medical Conditions Generally Aggravated by Exposure - Allergy, eczema and other skin conditions.

Over Exposure Effects - Irritation, sensitization and dermatitis.

Emergency and First Aid Procedures.

Eyes - Flush with plenty quantities of water for at least 15 minutes. Get medical attention.

Skin - Remove contaminated clothing. Wash contact area with mild soap and water.

Inhalation - Remove to fresh air. Give oxygen if breathing is difficult. Get medical attention.

Ingestion - Do not induce vomiting. Give large quantities of milk or water. Get medical attention.

Section VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled - Dike spill. Absorb with inert material and collect for disposal. Flush contaminated area with water, prevent washings from entering waterways.

Waste Disposal Method - This product, if disposed as shipped, meets EPA criteria of a hazardous waste as specified in 40 CFR 261 on the basis of corrosivity. Dispose of in a licensed hazardous waste facility in accordance with applicable laws.

Precautions to be Taken in Handling and Storing - Keep containers tightly closed when not in use. Wash after handling and before eating, drinking or smoking.

Section VIII - Control Measures

Respiratory Protection (Specify Type) - NIOSH/MSHA approved respirator with organic vapor cartridge if required.

Ventilation - Mechanical exhaust is not recommended as the sole means of controlling employee exposure. Local exhaust recommended.

Protective Gloves - Impervious gloves.

Eye Protection - Chemical splash-proof goggles.

Other protective Clothing or Equipment - In operations where contact may occur, coveralls, apron and impervious foot covering are recommended. A safety shower and eyewash facility should be available to employees. Contaminated clothing should be removed immediately and thoroughly laundered before reused.

Section IX - Transportation

DOT Proper Shipping Classification (149980-2): Paint

This information is, to the best of our knowledge and belief, accurate and reliable as of the date completed. However no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the completeness and suitability of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information, nor do we offer any warranty against patent infringement.