

Material Safety Data Sheet

May be used to Comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements

HEALTH
FLAMMABILITY

HMIS

0 REACTIVITY
0 PERSONAL PROTECTION

Identity (As Used On Label and List)

B4145 Disposable Clean-Up Kit—Antiseptic Towels

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

Manufactured for:

OMEGA INDUSTRIAL SUPPLY, INC

Emergency Telephone Number:

1-800-424-9300

Address (Number, Street, City, State, and Zip Code)

4950-B Fulton Drive

Telephone Number for Information:

1-800-571-7347

Fairfield, CA 94534

Date Prepared

01-01-2007

Signature of Prepare (Optional)

REGULATORY DEPT.

Section II - Hazardous Ingredients / Identity Information

Hazardous Components

(Specific Chemical Identity, Common Name(s))

CAS No.

OSHA PEL

ACGIH-TLV

Other Limits

Recommended

%(Opt.)

None

This product is not known to contain any compounds listed and in quantities requiring reporting under SARA Title III Section 313.

Any substance listed as hazardous by the State of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations.

Section III - Physical Chemical Characteristics

Boiling Point

>180°F

Specific Gravity (H₂O = 1)

Concentrate

0.980

Vapor Pressure (mm/Hg)

N/A

% Volatile by Volume

28%

Vapor Density (Air=1)

>2.0

Evaporation Rate (H₂O = 1)

>7.0

Solubility in Water

Soluble

pH

Appearance and Odor—Clear, colorless with lemon-lime fragrance and slight alcoholic odor

Section IV – Fire and Explosion Hazard Data

USA Flame Projection Test (ASTM D-3065)

Flammable Limits

50°F (open cup)

LEL

UEL

Extinguishing Media – H₂O Fog, CO₂, Dry Chemical, Foam

Special Fire Fighting Procedures –Flood with water

Unusual Fire and Explosion Hazards – N/A

Section V – Reactivity Data

Stability	Unstable	<input type="checkbox"/>	Conditions to Avoid – N/A	Hazardous Polymerization	May Occur	<input type="checkbox"/>
	Stable	×			Will Not Occur	×

Incompatibility (Materials to Avoid) – Strong oxidizing agents & isocyanate & organometallic contamination, anhydrides.

Hazardous Decomposition or Byproducts –Carbon monoxide, carbon dioxide, nitrous oxide and ammonia may be present in small amounts

Section VI – Health Hazard Data

Route(s) of Entry:	Eyes? Yes	Inhalation? No	Skin? Yes	Ingestion? No
--------------------	--------------	-------------------	--------------	------------------

Health Hazards (Acute and Chronic) –
See Below

Carcinogenicity:	NTP? N/A	IARC Monographs? N/A	OSHA Regulated? N/A
------------------	-------------	-------------------------	------------------------

Signs and Symptoms of Exposure:
None Expected

Medical Conditions Generally Aggravated –None Listed

Emergency and First Aid Procedures.

Ingestion—If swallowed, induce vomiting and call a physician

Eyes—If eye contact flush with copious amounts of water

Section VII – Precautions For Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled.
Eliminate all sources of ignition and flush with copious amounts water.

Waste Disposal Method – Atomize into an incinerator where appropriate federal, state and local regulations allow.

Precautions to be Taken in Handling and Storing –
Keep away from sparks or flame

Other Precautions –KEEP OUT OF REACH OF CHILDREN.

Section VIII – Control Measures

Respiratory Protection (Specify Type) –
N/A

Ventilation	Local Exhaust		Special	
	Mechanical (General)	Adequate	Other	

Protective Gloves –
N/A

Eye Protection –
Goggles, use eye bath if contact.

Other protective Clothing or Equipment –N/A

Work/Hygienic Practices – Observe good hygiene. Wash hands thoroughly after eating, drinking, and using restrooms, etc.

Material Safety Data Sheet

May be used to Comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements

HEALTH

HMIS

0

REACTIVITY

0

FLAMMABILITY

0

PERSONAL PROTECTION

1

Identity (As Used On Label and List)

B4145 Disposable Clean-Up Kit—Absorbent Powder

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

Manufactured for:

OMEGA INDUSTRIAL SUPPLY, INC

Emergency Telephone Number:

1-800-424-9300

Address (Number, Street, City, State, and Zip Code)

4950-B Fulton Drive

Telephone Number for Information:

1-800-571-7347

Fairfield, CA 94534

Date prepared

01-01-2007

Signature of Prepare (Optional)

REGULATORY DEPT.

Section II - Ingredients / Identity Information

Components

(Specific Chemical Identity, Common Name(s))

CAS No.

OSHA PEL

ACGIH-TLV

Other Limits

Recommended.

%(Opt.)

Diatomaceous Earth

N/E

100mg/m³

15-35%

This product is not known to contain any compounds listed and in quantities requiring reporting under SARA Title III Section 313.

Any substance listed as hazardous by the State of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations.

Section III - Physical Chemical Characteristics

Boiling Point

N/A

Specific Gravity (H₂O = 1)
Concentrate

N/A

Vapor Pressure (mmHg)

N/A

% Volatile by Volume

0

Vapor Density (Air=1)

N/A

Evaporation Rate (H₂O = 1)

N/A

Solubility in Water

Negligible

pH

Appearance and Odor—Granular white solid with fragrant odor

Section IV – Fire and Explosion Hazard Data

USA Flame Projection Test (ASTM D-3065)

None

Flammable Limits

N/A

LEL

N/A

UEL

N/A

Extinguishing Media – H₂O, CO₂, Dry Chemical, Foam

Special Fire Fighting Procedures –Avoid strong oxidizing agents

Unusual Fire and Explosion Hazards – Product becomes slippery when wet due to gel formation

Section V – Reactivity Data

Stability	Unstable	<input type="checkbox"/>	Conditions to Avoid— Keep away from heat and open flames. High dust concentration	Hazardous Polymerization	May Occur	<input type="checkbox"/>
	Stable	X			Will Not Occur	X

Incompatibility (Materials to Avoid) – Strong oxidizing agents & hydrofluoric acid.

Hazardous Decomposition or Byproducts –None

Section VI – Health Hazard Data

Route(s) of Entry:	Eyes? Yes	Inhalation? Yes	Skin? Yes	Ingestion? Yes
--------------------	--------------	--------------------	--------------	-------------------

Health Hazards (Acute and Chronic) –
See Below

Carcinogenicity:	NTP? N/A	IARC Monographs? N/A	OSHA Regulated? N/A
------------------	-------------	-------------------------	------------------------

Signs and Symptoms of Exposure:
May cause temporary irritation or inflammation of the eye, nose and bronchi

Medical Conditions Generally Aggravated –None known

Emergency and First Aid Procedures.
Inhalation— Remove person to fresh air.
Skin or Eye — Flush with running water for several minutes.
Ingestion — Drink large quantity of water. DO NOT induce vomiting. See a physician

Section VII – Precautions For Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled
 Vacuum dry spill. If spill became wet and gelled, shovel up or hose it down with copious amounts of water, surface upon which material has been applied will become slippery when wet

Waste Disposal Method – Comply with local, state and federal regulations. No major precautions. Non-Hazardous.

Precautions to be Taken in Handling and Storing –
 Store in cool, dry place to protect product from moisture. Operators applying large amounts of product should wear approved dust respirators and goggles.

Other Precautions –KEEP OUT OF REACH OF CHILDREN

Section VIII – Control Measures

Respiratory Protection (Specify Type) –
 For use with large amounts of material wear NIOSH approved respirator is required

Ventilation	Local Exhaust		Special	
	Mechanical (General)	Adequate	Other	

Protective Gloves – Not Required	Eye Protection – Goggles when using large amounts of material
--	---

Other protective Clothing or Equipment – Not Required

Work/Hygienic Practices – Observe good hygiene. Wash hands thoroughly after eating, drinking, and using restrooms, etc.

Material Safety Data Sheet

May be used to Comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements

HEALTH
FLAMMABILITY

HMIS

0 REACTIVITY
0 PERSONAL PROTECTION

Identity (As Used On Label and List)

B4145 Disposable. Clean-Up Kit — Germicidal Solution

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

Manufactured for:

OMEGA INDUSTRIAL SUPPLY, INC

Emergency Telephone Number:

1-800-424-9300

Address (Number, Street, City, State, and Zip Code)

4950-B Fulton Drive

Telephone Number for Information:

1-800-571-7347

Fairfield, CA 94534

Date Prepared

01-01-2007

Signature of Prepare (Optional)

REGULATORY DEPT.

Section II - Hazardous Ingredients / Identity Information

Hazardous Components

(Specific Chemical Identity, Common Name(s))

CAS No.

OSHA PEL

ACGIH-TLV

Other Limits

Recommended

%(Opt.)

Isopropyl Alcohol

67-63-0

400 ppm

BTC 2125M – Quaternary Ammonium

139-08-02

N/A

27479-28-3

This product is not known to contain any compounds listed and in quantities requiring reporting under SARA Title III Section 313.

Any substance listed as hazardous by the State of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations.

Section III - Physical Chemical Characteristics

Boiling Point

181.5°F

Specific Gravity (H₂O = 1) 25°/25°C
Concentrate

0.983

Vapor Pressure (mmHg)

N/A

Melting Point

N/A

Vapor Density (Air=1)

N/A

Evaporation Rate (H₂O = 1)

N/A

Solubility in Water

Infinite

pH

—

Appearance and Odor—Clear, colorless liquid with alcoholic odor

Section IV – Fire and Explosion Hazard Data

USA Flame Projection Test (ASTM D-3065)

Flammable Limits

103°F

LEL

N/A

UEL

N/A

Extinguishing Media – H₂O, Foam

Special Fire Fighting Procedures –N/A

Unusual Fire and Explosion Hazards – Treat liquid as combustible

Section V – Reactivity Data

Stability	Unstable	<input type="checkbox"/>	Conditions to Avoid – N/A	Hazardous Polymerization	May Occur	<input type="checkbox"/>
	Stable	×			Will Not Occur	×

Incompatibility (Materials to Avoid) – Anionic surfactants, soaps

Hazardous Decomposition or Byproducts –N/A

Section VI – Health Hazard Data

Route(s) of Entry:	Eyes? Yes	Inhalation? Yes	Skin? Yes	Ingestion? Yes
--------------------	--------------	--------------------	--------------	-------------------

Health Hazards (Acute and Chronic) –
See Below

Carcinogenicity: None	NTP? No	IARC Monographs? No	OSHA Regulated? No
--------------------------	------------	------------------------	-----------------------

Signs and Symptoms of Exposure:
Skin — May cause irritation

Medical Conditions Generally Aggravated – N/A

Emergency and First Aid Procedures.

Eyes— Irrigate eyes with copious amounts of water
Skin— Wash area with water
Ingestion — Consult physician

Section VII – Precautions For Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled
Soak up with absorbent, discard in waste container, flush with water.

Waste Disposal Method – Large spills contain to prevent discharge into environment. Non-hazardous waste. Follow local, state and federal regulations.

Precautions to be Taken in Handling and Storing –
Store in cool, dry place, away from sources of ignition and heat

Other Precautions – KEEP OUT OF REACH OF CHILDREN.

Section VIII – Control Measures

Respiratory Protection (Specify Type) –
N/A

Ventilation	Local Exhaust	Adequate	Special
	Mechanical (General)		Other

Protective Gloves –
Alcohol resistant

Eye Protection –
Safety Glasses

Other protective Clothing or Equipment – N/A

Work/Hygienic Practices – Observe good hygiene. Wash hands thoroughly after eating, drinking, and using restrooms, etc.

While the information and recommendations set forth herein are believed to be accurate as of the date hereon Omega Industrial Supply Inc. makes no warranty with respect thereto and disclaims all liability from reliance thereon.