

Section 1 ~ Identification

Identity (As Used On Label and List) Q2085 CLEAN ALL RTU	Date Prepared: 02-09-2019
Company Information: OMEGA INDUSTRIAL SUPPLY, INC	Emergency Telephone Number: 1-800-424-9300
Address (Number, Street, Suite/Apt#) 101 Grobric Ct #1	Telephone Number for Information: 1-800-571-7347
(City, State, and Zip Code) Fairfield, CA 94534	Signature of Prepare (Optional) REGULATORY DEPT.

Section 2 ~ Hazard(s) Identification

GHS-US Classification
 Flammable liquids, Category 2 H225
 Skin corrosion/irritation, Category 1B H314
 Serious eye damage/eye irritation, Category 1 H318
 Full text of H statements: See section 16

Label Elements

GHS-US Labeling

Hazardous Pictograms (GHS-US)



GHS05

Signal Word (GHS-US): Danger

Contains: phosphoric acid; hydrochloric acid

Hazardous Statements (GHS-US)
 H225 - Highly flammable liquid and vapor
 H314 - Causes severe skin burns and eye damage

Precautionary Statement (GHS-US)
 P210 - Keep away from heat. - No smoking
 P233 - Keep container tightly closed
 P240 - Ground/bond container and receiving equipment
 P241 - Use explosion-proof electrical equipment
 P242 - Use only non-sparking tools
 P243 - Take precautionary measures against static discharge
 P260 - Do not breathe fume
 P264 - Wash hands thoroughly after handling
 P280 - Wear eye protection, protective gloves
 P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting
 P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
 P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
 P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P310 - Immediately call a doctor
 P321 - Specific treatment (see a doctor on this label)
 P363 - Wash contaminated clothing before reuse
 P370+P378 - In case of fire: Use Suitable extinguishing media to extinguish
 P403 + P235 - Store in a well-ventilated place. Keep cool
 P405 - Store locked up
 P501 - Dispose of contents/container to an approved waste disposal plant

Other Hazards No additional information available **Unknown Acute Toxicity (GHS-US)** Not applicable

Section 3 ~ Composition/Information on Ingredients

Substance: Not applicable

Mixture

Name	CAS No.	%(Wt.)	GHS-US Classification
Phosphoric Acid	7664-38-2	3.755 – 7.5	Skin Corr. 1B, H314 Flam. Liq. 2, H225
2-Propanol	67-63-0	1 – 5	Eye Irrit. 2A, H319 STOT SE 3, H336
Hydrochloric Acid	7647-01-0	3 – 4.5	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335

Full text of H-statements: See section 16

Section 4 ~ First Aid Measures

First-Aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-Aid Measures After Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
First-Aid Measures After Skin Contact: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a POISON CENTER or doctor/physician.
First-Aid Measures After Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
First-Aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
Most Important Symptoms and Effects, Both Acute and Delayed
Symptoms/Injuries: Causes severe skin burns and eye damage.
Symptoms/Injuries After Eye Contact: Causes serious eye damage.
Indication of Any Immediate Medical Attention and Special Treatment Needed: Treat symptomatically.

Section 5 ~ Fire Fighting Measures

Extinguishing Media
Suitable Extinguishing Media: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable Extinguishing Media: Do not use a heavy water stream.
Special Hazards Arising from the Substance or Mixture
Fire Hazard: Highly flammable liquid and vapor.
Explosion Hazard: May form flammable/explosive vapor-air mixture.
Reactivity: Corrosive vapors.
Advice for Firefighters
Firefighting Instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Section 6 ~ Accidental Release Measures

General Measures: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

For Non-Emergency Personnel

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions: No additional information available

Methods and Material for Containment and Cleaning Up

Methods for Cleaning Up: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Reference to Other Sections: See Heading 8. Exposure controls and personal protection.

Section 7 ~ Handling and Storage

Precautions for Safe Handling

Additional Hazards when Processed: Handle empty containers with care because residual vapors are flammable.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Use only non-sparking tools. Do not breathe fume.

Hygiene Measures: Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

Conditions for Safe Storage, Including any Incompatibilities

Technical Measures: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical equipment. Comply with applicable regulations.

Storage Conditions: Keep only in the original container in a cool, well ventilated place away from: Heat sources. Keep in fireproof place. Keep container tightly closed.

Incompatible Products: Strong bases. Strong acids.

Incompatible Materials: Sources of ignition. Direct sunlight. Heat sources.

Section 8 ~ Exposure Controls/Personal Protection

Control Parameters

phosphoric acid (7664-38-2)

ACGIH Remark (ACGIH) URT, eye, & skin irr

OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³

2-propanol (67-63-0)

ACGIH ACGIH TWA (ppm) 200 ppm

ACGIH ACGIH STEL (ppm) 400 ppm

ACGIH Remark (ACGIH) Eye & URT irr; CNS impair

OSHA OSHA PEL (TWA) (mg/m³) 980 mg/m³

OSHA OSHA PEL (TWA) (ppm) 400 ppm

hydrochloric acid (7647-01-0)

ACGIH Remark (ACGIH) URT irr

OSHA OSHA PEL (Ceiling) (mg/m³) 7 mg/m³

OSHA OSHA PEL (Ceiling) (ppm) 5 ppm

Exposure Controls

Personal Protective Equipment: Avoid all unnecessary exposure.

Hand Protection: Wear protective gloves.

Eye Protection: Chemical goggles or face shield.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: Wear appropriate mask.

Other Information: Do not eat, drink or smoke during use.

Section 9 ~ Physical and Chemical Properties

Physical State: Liquid

Color: Blue

Odor: mint

Odor Threshold: No data available

pH: No data available

Melting Point: No data available

Freezing Point: No data available

Boiling Point: No data available

Flash Point: No data available

Relative Evaporation Rate (butylacetate=1): No data available

Flammability (solid, gas): No data available

Explosive Limits: No data available

Explosive Properties: No data available

Oxidizing Properties: No data available

Vapor Pressure: No data available

Relative Density: ≈ 1.026

Relative Vapor Density at 20°C: No data available

Solubility: Water: Solubility in water of component(s) of the mixture: • phosphoric acid: Complete • nonylphenoxy poly(ethyleneoxy)ethanol: soluble • hydrochloric acid: Complete • 2-propanol: Complete

Log Pow: No data available

Auto-Ignition Temperature: No data available

Decomposition Temperature: No data available

Viscosity: No data available

Viscosity, Kinematic: No data available

Viscosity, Dynamic: No data available

Other Information: No additional information available

Section 10 ~ Stability and Reactivity

Reactivity: Corrosive vapors.

Chemical Stability: Highly flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

Possibility of Hazardous Reactions: Not established.

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Open flame.

Incompatible Materials: Strong acids. Strong bases.

Hazardous Decomposition Products: fume. Carbon monoxide. Carbon dioxide. May release flammable gases. Thermal decomposition generates: Corrosive vapors.

Section 11 ~ Toxicological Information

Information on Toxicological Effects

Acute Toxicity: Not classified

phosphoric acid (7664-38-2)

LD50 oral rat 4400 mg/kg (Rat)

ATE US (oral) 4400.000 mg/kg bodyweight

2-propanol (67-63-0)

LD50 dermal rabbit 12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)

LC50 inhalation rat (mg/l) 73 mg/l/4h (Rat)

ATE US (dermal) 12870.000 mg/kg bodyweight

ATE US (vapours) 73.000 mg/l/4h

ATE US (dust,mist) 73.000 mg/l/4h

Skin Corrosion/Irritation: Causes severe skin burns and eye damage.

Serious Eye Damage/Irritation: Causes serious eye damage.

Respiratory or Skin Sensitization: Not classified
Germ Cell Mutagenicity: Not classified
Carcinogenicity: Not classified
2-propanol (67-63-0)
 IARC group 3 - Not classifiable
hydrochloric acid (7647-01-0)
 IARC group 3 - Not classifiable
Reproductive Toxicity: Not classified
Specific Target Organ Toxicity (single exposure): Not classified
Specific Target Organ Toxicity (repeated exposure): Not classified
Aspiration Hazard: Not classified
Potential Adverse Human Health Effects and Symptoms: Based on available data, the classification criteria are not met.
Symptoms/Injuries After Eye Contact: Causes serious eye damage.

Section 12 ~ Ecological Information

Toxicity

phosphoric acid (7664-38-2)
 LC50 fish 1 138 mg/l (LC50)
2-propanol (67-63-0)
 LC50 fish 2 9640 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flowthrough system; Fresh water; Experimental value)
 EC50 Daphnia 2 13299 mg/l (EC50; Other; 48 h; Daphnia magna)
 Threshold limit algae 1 > 1000 mg/l (EC50; UBA; 72 h; Scenedesmus subspicatus)
hydrochloric acid (7647-01-0)
 LC50 fish 1 282 mg/l (LC50; 96 h)
 EC50 Daphnia 1 < 56 mg/l (EC50; 72 h)

Persistence and Degradability

CLEAN ALL RTU

Persistence and degradability Not established.

phosphoric acid (7664-38-2)

Persistence and degradability Biodegradability: not applicable. No (test)data on mobility of the components available. Not established.
 Biochemical oxygen demand (BOD) Not applicable
 Chemical oxygen demand (COD) Not applicable
 ThOD Not applicable

2-propanol (67-63-0)

Persistence and degradability Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available. Not established.
 Biochemical oxygen demand (BOD) 1.19 g O₂/g substance
 Chemical oxygen demand (COD) 2.23 g O₂/g substance
 ThOD 2.40 g O₂/g substance

hydrochloric acid (7647-01-0)

Persistence and degradability Biodegradability: not applicable. No (test)data on mobility of the components available.

Bioaccumulative Potential

CLEAN ALL RTU

Bioaccumulative potential Not established.

phosphoric acid (7664-38-2)

Log Pow -0.77 (Estimated value)
 Bioaccumulative potential Bioaccumulation: not applicable. Not established.

2-propanol (67-63-0)

Log Pow 0.05 (Weight of evidence approach; Other; 25 °C)
 Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). Not established.

hydrochloric acid (7647-01-0)

Log Pow 0.3
 Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).

Mobility in Soil

2-propanol (67-63-0)

Surface tension 0.021 N/m (25 °C)

hydrochloric acid (7647-01-0)

Ecology - soil May be harmful to plant growth, blooming and fruit formation.

Other Adverse Effects

Effect on the Global Warming: No known ecological damage caused by this product.

Other Information: Avoid release to the environment.

Section 13 ~ Disposal Considerations

Waste Treatment Methods

Waste Disposal Recommendations: An approved waste disposal plant.

Additional Information: Handle empty containers with care because residual vapors are flammable.

Ecology - Waste Materials: Avoid release to the environment.

Section 14 ~ Transport Information

Department of Transportation (DOT)

In accordance with DOT: Not regulated for transport

TDG: No additional information available

Transport by Sea: No additional information available

Air Transport: No additional information available

Section 15 ~ Regulatory Information

US Federal Regulations

CLEAN ALL RTU

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

2-propanol CAS No 67-63-0 1 - 5%
 hydrochloric acid CAS No 7647-01-0 3 - 4.5%

phosphoric acid (7664-38-2)

CERCLA RQ 5000 lb

hydrochloric acid (7647-01-0)

CERCLA RQ 5000 lb
SARA Section 302 Threshold Planning Quantity (TPQ) 500 lb

International Regulations

CANADA: No additional information available

EU-Regulations: No additional information available

National Regulations: No additional information available

US State Regulations: California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm.

phosphoric acid (7664-38-2)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

2-propanol (67-63-0)

U.S. - New Jersey - Right to Know Hazardous Substance List

hydrochloric acid (7647-01-0)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

Section 16 ~ Other Information

Other Information: None.

Full text of H-statements:

H225 Highly flammable liquid and vapor

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H319 Causes serious eye irritation

H335 May cause respiratory irritation

H336 May cause drowsiness or dizziness

	NFPA	HMIS	Key
HEALTH	3	3	4= Severe
FLAMMABILITY	0	0	3= Serious
REACTIVITY	1	1	2= Moderate
OTHER/PROTECTION	-	B	1= Slight
			0= Minimal
			B= Safety glasses, Gloves

DISCLAIMER: Omega Industrial Supply, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.