

## Section 1 ~ Identification

<b>Identity (As Used On Label and List)</b> <b>G3033 FRAGRANCE PLUS</b>	<b>Date Prepared:</b> 11-09-2016
<b>Company Information:</b> OMEGA INDUSTRIAL SUPPLY, INC	<b>Emergency Telephone Number:</b> 1-800-424-9300
<b>Address (Number, Street, Suite/Apt#)</b> 101 Grobric Ct #1	<b>Telephone Number for Information:</b> 1-800-571-7347
<b>(City, State, and Zip Code)</b> Fairfield, CA 94534	<b>Signature of Prepare (Optional)</b> REGULATORY DEPT.

## Section 2 ~ Hazard(s) Identification

**GHS-US Classification** Serious eye damage/eye irritation, Category 2A Causes serious eye irritation  
Flammable liquids, Category 4 Combustible liquid

### Label Elements

#### GHS-US Labeling

#### Hazardous Pictograms (GHS-US)



GHS07

**Signal Word (GHS-US):** Warning

**Hazardous Statements (GHS-US)** Causes serious eye irritation

**Precautionary Statement (GHS-US)** Wash hands thoroughly after handling. Wear eye protection, protective gloves **If in eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention

**Other Hazards** No additional information available **Unknown Acute Toxicity (GHS-US)** Not applicable

## Section 3 ~ Composition/Information on Ingredients

**Substance:** Not applicable

**Mixture**

Name	CAS No.	%(Wt.)	GHS-US Classification
2-Propanol	67-63-0	5 – 11	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336

**Full text of H-statements:** See section 16

## Section 4 ~ First Aid Measures

### Description of First Aid Measures

**First-Aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-Aid Measures After Inhalation:** Allow breathing of fresh air. Allow the victim to rest.

**First-Aid Measures After Skin Contact:** Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

**First-Aid Measures After Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Get medical advice/attention.

**First-Aid Measures After Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

**Most Important Symptoms and Effects, Both Acute and Delayed**

**Symptoms/Injuries After Eye Contact:** Causes serious eye irritation.

**Indication of any Immediate Medical Attention and Special Treatment Needed:** Treat symptomatically.

## Section 5 ~ Fire Fighting Measures

### Extinguishing Media

**Suitable Extinguishing Media:** Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream.

**Special Hazards Arising from the Substance or Mixture:** No additional information available

### Advice for Firefighters

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

## Section 6 ~ Accidental Release Measures

### Personal Precautions, Protective Equipment and Emergency Procedures

#### For Non-Emergency Personnel

**Emergency Procedures:** Evacuate unnecessary personnel.

#### For Emergency Responders

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area.

**Environmental Precautions:** Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### Methods and Material for Containment and Cleaning Up

**Methods for Cleaning Up:** Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

**Reference to Other Sections:** See Heading 8. Exposure controls and personal protection.

## Section 7 ~ Handling and Storage

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

**Hygiene Measures:** Wash hands thoroughly after handling.

### Conditions for Safe Storage, Including Any Incompatibilities

**Storage Conditions:** Keep only in the original container in a cool, well ventilated place away from: Heat sources. Keep container closed when not in use.

**Incompatible Products:** Strong bases. Strong acids.

**Incompatible Materials:** Sources of ignition. Direct sunlight.

## Section 8 ~ Exposure Controls/Personal Protection

### Control parameters

#### 2-propanol (67-63-0)

ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	400 ppm
ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	980 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	400 ppm

**Personal Protective Equipment:** Gloves. Safety glasses.**Hand Protection:** Wear protective gloves.**Eye Protection:** Chemical goggles or safety glasses.**Respiratory Protection:** Wear appropriate mask.**Other Information:** Do not eat, drink or smoke during use.**Section 9 ~ Physical and Chemical Properties****Physical State:** Liquid**Color:** Colorless**Odor:** Floral**Odor Threshold:** No data available**pH:** No data available**Melting Point:** No data available**Freezing Point:** No data available**Boiling Point:** No data available**Flash Point:** No data available**Relative Evaporation Rate (butylacetate=1):** No data available**Flammability (solid, gas):** No data available**Explosive Limits:** No data available**Explosive Properties:** No data available**Oxidizing Properties:** No data available**Vapor Pressure:** No data available**Relative Density:** No data available**Relative Vapor Density at 20 °C:** No data available**Solubility:** Water: Solubility in water of component(s) of the mixture: • 2-propanol: Complete • nonylphenoxy poly (ethyleneoxy)ethanol: soluble**Log Pow:** No data available**Auto-Ignition Temperature:** No data available**Decomposition Temperature:** No data available**Viscosity:** No data available**Viscosity, Kinematic:** No data available**Viscosity, Dynamic:** No data available**Other Information:** No additional information available**Section 10 ~ Stability and Reactivity****Reactivity:** No additional information available**Chemical Stability:** Not established.**Possibility of Hazardous Reactions:** Not established.**Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures.**Incompatible Materials:** Strong acids. Strong bases.**Hazardous Decomposition Products:** Carbon monoxide. Carbon dioxide.**Section 11 ~ Toxicological Information****Acute Toxicity:** Not classified**2-propanol (67-63-0)**

LD50 dermal rabbit 12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)

LC50 inhalation rat (mg/l) 73 mg/l/4h (Rat)

ATE US (dermal) 12870.000 mg/kg bodyweight

ATE US (vapors) 73.000 mg/l/4h

ATE US (dust, mist) 73.000 mg/l/4h

**Skin Corrosion/Irritation:** Not classified**Serious Eye Damage/Irritation:** Causes serious eye irritation.**Respiratory or Skin Sensitization:** Not classified**Germ Cell Mutagenicity:** Not classified**Carcinogenicity:** Not classified**2-propanol (67-63-0)**

IARC group 3 - Not classifiable

**Reproductive Toxicity:** Not classified**Specific Target Organ Toxicity (single exposure):** Not classified**Specific Target Organ Toxicity (repeated exposure):** Not classified**Aspiration Hazard:** Not classified**Potential Adverse Human Health Effects and Symptoms:** Based on available data, the classification criteria are not met.**Symptoms/Injuries After Eye Contact:** Causes serious eye irritation.**Section 12 ~ Ecological Information****Toxicity****2-propanol (67-63-0)**

LC50 fish 2 9640 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flow through system; Fresh water; Experimental value)

EC50 Daphnia 2 13299 mg/l (EC50; Other; 48 h; Daphnia magna)

Threshold limit algae 1 &gt; 1000 mg/l (EC50; UBA; 72 h; Scenedesmus sp. spicatus)

**Persistence and Degradability****FRAGRANCE PLUS**

Persistence and degradability Not established.

**2-propanol (67-63-0)**

Persistence and degradability Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test) data on mobility of the substance available. Not established.

Biochemical oxygen demand (BOD) 1.19 g O<sub>2</sub>/g substanceChemical oxygen demand (COD) 2.23 g O<sub>2</sub>/g substanceThOD 2.40 g O<sub>2</sub>/g substance**Bioaccumulative Potential****FRAGRANCE PLUS**

Bioaccumulative potential Not established.

**2-propanol (67-63-0)**

Log Pow 0.05 (Weight of evidence approach; Other; 25 °C)

Bioaccumulative potential Low potential for bioaccumulation (Log Kow &lt; 4). Not established.

**Mobility in Soil****2-propanol (67-63-0)**

Surface tension 0.021 N/m (25 °C)

**Other Adverse Effects****Effect on the Global Warming:** No known ecological damage caused by this product.**Other Information:** Avoid release to the environment.**Section 13 ~ Disposal Considerations****Waste Treatment Methods****Waste Disposal Recommendations:** Dispose in a safe manner in accordance with local/national regulations.**Ecology - Waste Materials:** Avoid release to the environment.

**Section 14 ~ Transport Information**

**Department of Transportation (DOT)**

**In accordance with DOT:** Not regulated for transport  
**TDG:** No additional information available  
**Transport by Sea:** No additional information available  
**Air Transport:** No additional information available

**Section 15 ~ Regulatory Information**

**US Federal Regulations**

**FRAGRANCE PLUS**

Not listed on the United States TSCA (Toxic Substances Control Act) inventory  
 All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory  
 Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.  
 2-propanol CAS No 67-63-0 5 - 11%

**International Regulations**

**CANADA:** No additional information available  
**EU-Regulations:** No additional information available  
**National Regulations:** No additional information available

**US State Regulations:** California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

**2-propanol (67-63-0)**

U.S. - New Jersey - Right to Know Hazardous Substance List

**Section 16 ~ Other Information**

Other Information: None

Full Text of H-phrases;

H225	Highly flammable liquid and vapor
H227	Combustible liquid
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

	<b>NFPA</b>	<b>HMIS</b>	<b>Key</b>
HEALTH	0	0	4= Severe
FLAMMABILITY	0	0	3= Serious
REACTIVITY	0	0	2= Moderate
OTHER/PROTECTION	-	B	1= Slight 0= Minimal B= Safety glasses, Gloves

DISCLAIMER: Omega Industrial Supply, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.