


Section 1 ~ Identification

Identity (As Used On Label and List) B4148/B4148B FRESHEN UP AWAY/BULK 50lbs	Date Prepared: 05-06-2015
Company Information: OMEGA INDUSTRIAL SUPPLY, INC	Emergency Telephone Number: 1-800-424-9300
Address (Number, Street, Suite/Apt#) 101 Grobric Ct #1	Telephone Number for Information: 1-800-571-7347
(City, State, and Zip Code) Fairfield, CA 94534	Signature of Prepare (Optional) REGULATORY DEPT.

Section 2 ~ Hazard(s) Identification

GHS-US Classification	Carcinogenicity, Category 1A Specific target organ toxicity — Repeated exposure, Category 2	May cause cancer May cause damage to organs through prolonged or repeated exposure
Label Elements		
GHS-US Labeling		
Hazardous Pictograms (GHS-US)		Signal Word (GHS-US): Warning Contains: OIL DRY / quartz, 1%=<conc respirable crystalline silica<10%
Hazardous Statements (GHS-US)	May cause cancer. May cause damage to organs through prolonged or repeated exposure	
Precautionary Statement (GHS-US)	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wear protective gloves, eye protection. If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell. Store locked up. Dispose of contents/container to an approved waste disposal plant	
Other Hazards	No additional information available	Unknown Acute Toxicity (GHS-US) Not applicable

Section 3 ~ Composition/Information on Ingredients

Substance: Not applicable
Mixture

Name	CAS No.	%(Wt.)	GHS-US Classification
Contains: OIL DRY / quartz, 1%=<conc respirable crystalline silica<10%	14808-60-7	1 – 9%	Carc, 1A, H350 STOT RE 2, H373

Full text of H-statements: See section 16

Section 4 ~ First Aid Measures

Description of First Aid Measures
First-Aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-Aid Measures After Inhalation: Allow breathing of fresh air. Allow the victim to rest.
First-Aid Measures After Skin Contact: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-Aid Measures After Eye Contact: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-Aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
Most Important Symptoms and Effects, Both Acute and Delayed: No additional information available
Indication of any Immediate Medical Attention and Special Treatment Needed: Treat symptomatically.

Section 5 ~ Fire Fighting Measures

Extinguishing Media
Suitable Extinguishing Media: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable Extinguishing Media: Do not use a heavy water stream.
Special Hazards Arising from the Substance or Mixture
Fire Hazard: Not flammable.
Explosion Hazard: Not applicable.
Reactivity: Stable under normal conditions.
Advice for Firefighters
Firefighting Instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Section 6 ~ Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures
For Non-Emergency Personnel
Emergency Procedures: Evacuate unnecessary personnel.
For Emergency Responders
Protective Equipment: Equip cleanup crew with proper protection.
Emergency Procedures: Ventilate area.
Environmental Precautions: Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.
Methods and Material for Containment and Cleaning Up
Methods for Cleaning Up: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.
Reference to Other Sections: See Heading 8. Exposure controls and personal protection.

Section 7 ~ Handling and Storage

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust, vapors.
Conditions for Safe Storage, Including any Incompatibilities
Storage Conditions: Keep only in the original container in a cool, well ventilated place away from: Heat sources. Keep container closed when not in use.
Incompatible Products: Strong bases. Strong acids.
Incompatible Materials: Sources of ignition. Direct sunlight.

Section 8 ~ Exposure Controls/Personal Protection

Control parameters

OIL DRY / quartz, 1%=<conc respirable crystalline silica<10% (14808-60-7)

ACGIH ACGIH TWA (mg/m³) 0.025 mg/m³ (Silica-Crystalline Quartz; USA; Timeweighted average exposure limit 8 h; TLV – Adopted Value; Respirable fraction)

OSHA Remark (OSHA) (3) See Table Z-3.

Exposure Controls

Personal Protective Equipment: Safety glasses. Gloves. Avoid all unnecessary exposure.

Hand Protection: Wear protective gloves.

Eye Protection: Chemical goggles or safety glasses.

Respiratory Protection: Wear appropriate mask.

Other Information: Do not eat, drink or smoke during use.



Section 9 ~ Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Physical State: Solid

Color: Colorless

Odor: Citronellol

Odor Threshold: No data available

pH: No data available

Melting Point: No data available

Freezing Point: No data available

Boiling Point: No data available

Flash Point: No data available

Relative Evaporation Rate (butylacetate=1): No data available

Flammability (solid, gas): No data available

Explosive Limits: No data available

Explosive Properties: No data available

Oxidizing Properties: No data available

Vapor Pressure: No data available

Relative Density: No data available

Relative Vapor Density at 20°C: No data available

Solubility: Water: Solubility in water of component(s) of the mixture : • OIL DRY / bentonite, conc quartz (respirable dust) >=0,1%: insoluble • OIL DRY / silicon dioxide, amorphous: 0.15 g/100ml • OIL DRY / quartz, 1%=<conc respirable crystalline silica<10%: insoluble

Log Pow: No data available

Auto-Ignition Temperature: No data available

Decomposition Temperature: No data available

Viscosity: No data available

Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

Other Information: No additional information available

Section 10 ~ Stability and Reactivity

Reactivity: Stable under normal conditions.

Chemical Stability: Not established.

Possibility of Hazardous Reactions: Not established.

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures.

Incompatible Materials: Strong acids. Strong bases.

Hazardous Decomposition Products: Carbon monoxide. Carbon dioxide. Fume.

Section 11 ~ Toxicological Information

Information on Toxicological Effects

Acute Toxicity: Not classified

Skin Corrosion/Irritation: Not classified

Serious Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: May cause cancer.

OIL DRY / quartz, 1%=<conc respirable crystalline silica<10% (14808-60-7)

IARC group 1 - Carcinogenic to humans

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (single exposure): Not classified

Specific Target Organ Toxicity (repeated exposure): May cause damage to organs through prolonged or repeated exposure.

Aspiration Hazard: Not classified

Potential Adverse Human Health Effects and Symptoms: Based on available data, the classification criteria are not met.

Section 12 ~ Ecological Information

Toxicity: No additional information available

Persistence and Degradability

FRESHEN UP AWAY

Persistence and degradability Not established.

OIL DRY / quartz, 1%=<conc respirable crystalline silica<10% (14808-60-7)

Persistence and degradability Biodegradability: not applicable. Low potential for mobility in soil.

Biochemical oxygen demand (BOD) Not applicable

Chemical oxygen demand (COD) Not applicable

ThOD Not applicable

Bioaccumulative Potential

FRESHEN UP AWAY

Bioaccumulative potential Not established.

OIL DRY / quartz, 1%=<conc respirable crystalline silica<10% (14808-60-7)

Bioaccumulative potential Bioaccumulation: not applicable.

Mobility in Soil: No additional information available

Other Adverse Effects

Effect on the Global Warming: No known ecological damage caused by this product.

Other Information: Avoid release to the environment.

Section 13 ~ Disposal Considerations

Waste Treatment Methods

Waste Disposal Recommendations: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to an approved waste disposal plant.

Ecology - Waste Materials: Avoid release to the environment.

Section 14 ~ Transport Information

Department of Transportation (DOT): In accordance with DOT. Not regulated for transport

TDG: No additional information available

Transport by Sea: No additional information available

Air Transport: No additional information available

Section 15 ~ Regulatory Information

US Federal Regulations

FRESHEN UP AWAY: Not listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

International Regulations

CANADA: No additional information available

EU-Regulations: No additional information available

National Regulations

OIL DRY / quartz, 1%=<conc respirable crystalline silica<10% (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

US State Regulations: California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

OIL DRY / quartz, 1%=<conc respirable crystalline silica<10% (14808-60-7)

U.S. - New Jersey - Right to Know Hazardous Substance List

Section 16 ~ Other Information

Full Text of H-phrases;

H350 May cause cancer.
H373 May cause damage to organs through prolonged or repeated exposure.

	NFPA	HMIS	Key
HEALTH	0	0	4= Severe
FLAMMABILITY	0	0	3= Serious
REACTIVITY	0	0	2= Moderate
OTHER/PROTECTION	-	B	1= Slight
			0= Minimal
			B= Safety glasses, Gloves.

DISCLAIMER: Omega Industrial Supply, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.