
Section 1 ~ Identification

Identity (As Used On Label and List) Q2100 CASPER	Date Prepared: 08/08/24
Company Information: OMEGA INDUSTRIAL SUPPLY, INC	Emergency Telephone Number: 1-800-424-9300
Address (Number, Street, Suite/Apt#) 1133 WEST 27 TH STREET	Telephone Number for Information: 1-800-571-7347
(City, State, and Zip Code) CHEYENNE, WY 82001	Signature of Prepare (Optional) REGULATORY DEPT.

Section 2 ~ Hazard(s) Identification

Classifications Not classified

Label Elements No labeling applicable

Hazard Statement

Precautionary Statement

Other Hazards None under normal conditions.

Unknown acute toxicity (GHS US) Not applicable.

Section 3 ~ Composition/Information on Ingredients

Substance: Not applicable

Mixture:

<u>Name</u>	<u>Product identifier</u>	<u>%</u>	<u>GHS-US classification</u>
2-propanol	(CAS No) 67-63-0	1 - 3	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336

Full text of H-phrases: see section 16

Section 4 ~ First Aid Measures

Description of first aid measures

First-aid measures general: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation: Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.

First-aid measures after ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries: Not expected to present a significant hazard under anticipated conditions of normal use.

Indication of any immediate medical attention and special treatment needed

No additional information available

Section 5 ~ Firefighting Measures

Extinguishing media

Suitable extinguishing media: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

Special hazards arising from the substance or mixture

Reactivity: Stable under normal conditions.

Advice for firefighters

Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Prevent fire-fighting water from entering environment.

Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Section 6 ~ Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures: Evacuate unnecessary personnel.

For emergency responders**Protective equipment:** Equip cleanup crew with proper protection.**Emergency procedures:** Ventilate area.**Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and material for containment and cleaning up**Methods for cleaning up:** Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.**Reference to other sections**

See Heading 8. Exposure controls and personal protection.

Section 7 ~ Handling and Storage**Precautions for safe handling****Precautions for safe handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Provide good ventilation in process area to prevent formation of vapor.

Conditions for safe storage, including any incompatibilities**Storage conditions:** Keep only in the original container in a cool, well-ventilated place away from: Heat sources. Keep container closed when not in use.**Incompatible products:** Strong bases. Strong acids.**Incompatible materials:** Sources of ignition. Direct sunlight.**Specific end use(s)**

No additional information available

Section 8 ~ Exposure Controls/Personal Protection**Control parameters****CASPER SPOT AND STAIN REMOVER**

ACGIH: Not applicable

OSHA: Not applicable

2-propanol (67-63-0)

ACGIH: ACGIH TWA (ppm)	200 ppm
ACGIH: ACGIH STEL (ppm)	400 ppm
ACGIH: Remark (ACGIH)	Eye & URT irr; CNS impair
OSHA: OSHA PEL (TWA) (mg/m ³)	980 mg/m ³
OSHA: OSHA PEL (TWA) (ppm)	400 ppm

Exposure controls**Personal protective equipment:** Safety glasses. Gloves**Hand protection:** Wear protective gloves.**Eye protection:** Chemical goggles or safety glasses.**Respiratory protection:** Wear appropriate mask.**Other information:** Do not eat, drink or smoke during use.**Section 9 ~ Physical and Chemical Properties****Physical state:** Liquid**Color:** Colorless**Odor:** Odorless**Odor threshold:** No data available**pH:** No data available**Melting point:** No data available**Freezing point:** No data available**Boiling point:** No data available**Flash point:** No data available**Relative evaporation rate (butylacetate=1):** No data available**Flammability (solid, gas):** No data available**Explosive limits:** No data available**Explosive properties:** No data available**Oxidizing properties:** No data available**Vapor pressure:** No data available**Relative density:** 1.017**Relative vapor density at 20 °C:** No data available**Log Pow:** No data available**Log Know:** No data available**Auto-ignition temperature Decomposition:** No data available**Temperature:** No data available**Viscosity:** No data available

Section 10 ~ Stability and Reactivity

Reactivity: Stable under normal conditions.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Not established.

Conditions to avoid: Direct sunlight. Extremely high or low temperatures.

Incompatible materials: Strong acids. Strong bases.

Hazardous decomposition products: Carbon monoxide. Carbon dioxide.

Section 11 ~ Toxicological Information

Acute toxicity: Not classified

2-propanol (67-63-0)

LD50 oral rat	5045 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 5840 mg/kg bodyweight; Rat)
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)
ATE US (oral)	5045.000 mg/kg bodyweight
ATE US (dermal)	12870.000 mg/kg bodyweight
ATE US (vapors)	73.000 mg/l/4h
ATE US (dust,mist)	73.000 mg/l/4h

Skin corrosion/irritation: Not classified

Serious eye damage/irritation: Not classified

Respiratory or skin sensitization: Not classified

Germ cell mutagenicity: Not classified

Carcinogenicity: Not classified

2-propanol (67-63-0)

IARC group 3 - Not classifiable

Reproductive toxicity: Not classified

Specific target organ toxicity (single exposure): Not classified

Specific target organ toxicity (repeated exposure): Not classified

Aspiration hazard: Not classified

Potential adverse human health effects and symptoms: Based on available data, the classification criteria are not met.

Section 12 ~ Ecological Information

Toxicity

2-propanol (67-63-0)

LC50 fish 1	4200 mg/l (96 h; Rasbora heteromorpha; Flow-through system)
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna)
LC50 fish 2	9640 mg/l (96 h; Pimephales promelas; Lethal)
EC50 Daphnia 2	13299 mg/l (48 h; Daphnia magna)
Threshold limit algae 1	> 1000 mg/l (72 h; Scenedesmus subspicatus; Growth rate)
Threshold limit algae 2	1800 mg/l (72 h; Algae; Cell numbers)

Persistence and degradability

CASPER SPOT AND STAIN REMOVER

Persistence and degradability Not established.

2-propanol (67-63-0)

Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available. Not established.
Biochemical oxygen demand (BOD)	1.19 g O ₂ /g substance
Chemical oxygen demand (COD)	2.23 g O ₂ /g substance
ThOD	2.40 g O ₂ /g substance
BOD (% of ThOD)	0.49 % ThOD

Bioaccumulative potential

CASPER SPOT AND STAIN REMOVER

Bioaccumulative potential Not established.

2-propanol (67-63-0)

Log Pow	0.05 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.

Mobility in soil

2-propanol (67-63-0)

Surface tension	0.021 N/m (25 °C)
-----------------	-------------------

Other adverse effects

Effect on the global warming: No known ecological damage caused by this product.

Other information: Avoid release to the environment.

Section 13 ~ Disposal Considerations

Waste treatment methods**Waste disposal recommendations:** Dispose in a safe manner in accordance with local/national regulations.**Ecology - waste materials:** Avoid release to the environment.

Section 14 ~ Transportation Information

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

Additional information**Other information:** No supplementary information available**ADR**

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

Section 15 ~ Regulatory Information

US Federal regulations**CASPER SPOT AND STAIN REMOVER**

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

TSP trisodium orthophosphate, dodecahydrate	CAS No 10101-89-0	
sodium thiosulfate, pentahydrate	CAS No 10102-17-7	5 – 9

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

2-propanol	CAS No 67-63-0	1 – 3
	Listed on United States SARA Section 313	

International regulations**CANADA**

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

National regulations

No additional information available

US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

2-propanol (67-63-0)

U.S. - New Jersey - Right to Know Hazardous Substance List

Section 16 ~ Other Information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

	NFPA	HMIS	Key
HEALTH	0	0	4= Severe
FLAMMABILITY	0	0	3= Serious
REACTIVITY	0		2= Moderate
PHYSICAL HAZARD		0	1= Slight
PROTECTIVE EQUIPMENT		B	0= Minimal

Disclaimer: Omega Industrial Supply, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and -may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet