

Section 1 ~ Identification

Identity (As Used On Label and List) B4125 FRESHEN UP BERRY	Date Prepared: 11-09-2023
Company Information: OMEGA INDUSTRIAL SUPPLY, INC	Emergency Telephone Number: 1-800-424-9300
Address (Number, Street, Suite/Apt#) 1133 WEST 27TH STREET	Telephone Number for Information: 1-800-571-7347
(City, State, and Zip Code) CHEYENNE, WY 82001	Signature of Prepare (Optional) REGULATORY DEPT.

Section 2 ~ Hazard(s) Identification

GHS-US Classification

Carcinogenicity, Category 1A May cause cancer
Specific target organ toxicity — Repeated exposure, Category 2 May cause damage to organs through prolonged or repeated exposure

Label Elements

GHS-US Labeling

Hazardous Pictograms (GHS-US)



GHS07

Signal Word (GHS-US): Warning

Contains: OIL DRY / quartz, 1%=<conc respirable crystalline silica<10%

Hazardous Statements (GHS-US)

May cause cancer. May cause damage to organs through prolonged or repeated exposure

Precautionary Statement (GHS-US)

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wear protective gloves, eye protection. If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell. Store locked up. Dispose of contents/container to an approved waste disposal plant

Other Hazards

No additional information available

Unknown Acute Toxicity (GHS-US)

Not applicable

Section 3 ~ Composition/Information on Ingredients

Substance: Not applicable

Mixture

Name	CAS No.	%(Wt.)	GHS-US Classification
OIL DRY / quartz, 1%=<conc respirable crystalline silica<10%	14808-60-7	1 - 9	Carc. 1A, H350 STOT RE 2, H373

Full text of H-statements: See section 16

Section 4 ~ First Aid Measures

Description of First Aid Measures

First-Aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-Aid Measures After Inhalation: Allow breathing of fresh air. Allow the victim to rest.

First-Aid Measures After Skin Contact: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-Aid Measures After Eye Contact: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.

First-Aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Most Important Symptoms and Effects, Both Acute and Delayed: No additional information available

Indication of any Immediate Medical Attention and Special Treatment Needed: Treat symptomatically.

Section 5 ~ Fire Fighting Measures

Extinguishing Media

Suitable Extinguishing Media: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable Extinguishing Media: Do not use a heavy water stream.

Special Hazards Arising from the Substance or Mixture

Fire Hazard: Not flammable.

Explosion Hazard: Not applicable.

Reactivity: Stable under normal conditions.

Advice for Firefighters

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Section 6 ~ Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions: Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and Material for Containment and Cleaning Up

Methods for Cleaning Up: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

Reference to Other Sections: See Heading 8. Exposure controls and personal protection.

Section 7 ~ Handling and Storage

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust, vapors.

Storage Conditions: Keep only in the original container in a cool, well ventilated place away from: Heat sources. Keep container closed when not in use.

Incompatible Products: Strong bases. Strong acids.

Incompatible Materials: Sources of ignition. Direct sunlight.

Section 8 ~ Exposure Controls/Personal Protection

Control Parameters

OIL DRY / quartz, 1%=<conc respirable crystalline silica<10% (14808-60-7)

ACGIH	ACGIH TWA (mg/m3)	0.025 mg/m ³ (Silica-Crystalline Quartz; USA; Timeweighted average exposure limit 8 h; TLV – Adopted Value; Respirable fraction)
OSHA	Remarks (OSHA)	(3) See Table Z-3

Exposure Controls

Personal Protective Equipment: Safety glasses. Gloves. Avoid all unnecessary exposure.



Hand Protection: Wear protective gloves.

Eye Protection: Chemical goggles or safety glasses.

Respiratory Protection: Wear appropriate mask.

Other Information: Do not eat, drink or smoke during use.

Section 9 ~ Physical and Chemical Properties

Physical State: Solid

Color: Colorless

Odor: Fruity

Odor Threshold: No data available

pH: No data available

Melting Point: No data available

Freezing Point: No data available

Boiling Point: No data available

Flash Point: No data available

Relative Evaporation Rate (butylacetate=1): No data available

Flammability (solid, gas): No data available

Explosive Limits: No data available

Explosive Properties: No data available

Oxidizing Properties: No data available

Vapor Pressure: No data available

Relative Density: No data available

Relative Vapor Density at 20°C: No data available

Solubility: Water: Solubility in Water of Component(s) of the Mixture : • OIL DRY / bentonite, conc quartz (respirable dust) >=0,1%: insoluble • OIL DRY / silicon dioxide, amorphous: 0.15 g/100ml • OIL DRY / quartz, 1%=<conc respirable crystalline silica<10%: insoluble

Log Pow: No data available

Auto-Ignition Temperature: No data available

Decomposition Temperature: No data available

Viscosity: No data available

Viscosity, Kinematic: No data available

Viscosity, Dynamic: No data available

Other Information: No additional information available

Section 10 ~ Stability and Reactivity

Reactivity: Stable under normal conditions.

Chemical Stability: Not established.

Possibility of Hazardous Reactions: Not established.

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures.

Incompatible Materials: Strong acids. Strong bases.

Hazardous Decomposition Products: Carbon monoxide. Carbon dioxide. fume.

Section 11 ~ Toxicological Information

Acute Toxicity: Not classified

Skin Corrosion/Irritation: Not classified

Serious Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: May cause cancer.

OIL DRY / quartz, 1%=<conc respirable crystalline silica<10% (14808-60-7)

IARC Group 1 - Carcinogenic to Humans

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Specific Target Organ Toxicity (Repeated Exposure): May cause damage to organs through prolonged or repeated exposure.

Aspiration Hazard: Not classified

Potential Adverse Human Health Effects and Symptoms: Based on available data, the classification criteria are not met.

Section 12 ~ Ecological Information

Toxicity: No additional information available

Persistence and Degradability

FRESHEN UP BERRY

Persistence and degradability Not established.

OIL DRY / quartz, 1%=<conc respirable crystalline silica<10% (14808-60-7)

Persistence and degradability Biodegradability: not applicable. Low potential for mobility in soil.

Biochemical oxygen demand (BOD) Not applicable

Chemical oxygen demand (COD) Not applicable

ThOD Not applicable

Bioaccumulative Potential

FRESHEN UP BERRY

Bioaccumulative potential Not established.

OIL DRY / quartz, 1%=<conc respirable crystalline silica<10% (14808-60-7)

Bioaccumulative potential Bioaccumulation: not applicable.

Mobility in Soil: No additional information available

Other Adverse Effects

Effect on the Global Warming: No known ecological damage caused by this product.

Other Information: Avoid release to the environment.

Section 13 ~ Disposal Considerations

Waste Treatment Methods

Waste Disposal Recommendations: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to an approved waste disposal plant.

Ecology - Waste Materials: Avoid release to the environment.

Section 14 ~ Transport Information

Department of Transportation (DOT)

In accordance with DOT: Not regulated for transport

TDG: No additional information available

Transport by Sea: No additional information available

Air Transport: No additional information available

Section 15 ~ Regulatory Information

US Federal Regulations

FRESHEN UP BERRY

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

International Regulations

CANADA: No additional information available

EU-Regulations: No additional information available

National Regulations

OIL DRY / quartz, 1%=<conc respirable crystalline silica<10% (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

US State Regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm.

OIL DRY / quartz, 1%=<conc respirable crystalline silica<10% (14808-60-7)

U.S. - New Jersey - Right to Know Hazardous Substance List

Section 16 ~ Other Information

Full Text of H-phrases;

H350

May cause cancer

H373

May cause damage to organs through prolonged or repeated exposure

	NFPA	HMIS	Key
HEALTH	0	0	4= Severe
FLAMMABILITY	0	0	3= Serious
REACTIVITY	0	0	2= Moderate
OTHER/PROTECTION	-	B	1= Slight
			0= Minimal
			B= Safety glasses, Gloves

DISCLAIMER: Omega Industrial Supply, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.