

### Section 1 ~ Identification

<b>Identity (As Used On Label and List)</b> <b>G3234 GO AWAY (Bulk)</b>	<b>Date Prepared:</b> 09/12/24
<b>Company Information:</b> OMEGA INDUSTRIAL SUPPLY, INC	<b>Emergency Telephone Number:</b> 1-800-424-9300
<b>Address (Number, Street, Suite/Apt#)</b> 1133 WEST 27 <sup>TH</sup> STREET	<b>Telephone Number for Information:</b> 1-800-571-7347
<b>(City, State, and Zip Code)</b> CHEYENNE, WY 82001	<b>Signature of Prepare (Optional)</b> REGULATORY DEPT.

### Section 2 ~ Hazard(s) Identification

**Classifications**

Flammable liquids, Category 3 H226  
 Skin corrosion/irritation, Category 2 H315  
 Sensitisation — Skin, Category 1 H317  
 Full text of H statements: see section 16

**Label Elements**



**Signal Word: WARNING**

**Hazard Statement**

H226 - Flammable liquid and vapour  
 H315 - Causes skin irritation  
 H317 - May cause an allergic skin reaction

**Precautionary Statement**

P210 - Keep away from heat. - No smoking  
 P233 - Keep container tightly closed  
 P240 - Ground/bond container and receiving equipment  
 P241 - Use explosion-proof electrical equipment  
 P242 - Use only non-sparking tools  
 P243 - Take precautionary measures against static discharge  
 P261 - Avoid breathing fume  
 P264 - Wash hands thoroughly after handling  
 P272 - Contaminated work clothing must not be allowed out of the workplace  
 P280 - Wear protective gloves  
 P302+P352 - If on skin: Wash with plenty of soap  
 P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
 P321 - Specific treatment (see First Aid measures on this label)  
 P332 + P313 - If skin irritation occurs: Get medical advice/attention  
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention  
 P362+P364 - Take off contaminated clothing and wash it before reuse  
 P363 - Wash contaminated clothing before reuse  
 P370+P378 - In case of fire: Use extinguishing powder to extinguish  
 P403 + P235 - Store in a well-ventilated place. Keep cool  
 P501 - Dispose of contents/container to an approved waste disposal plant

**Other Hazards**

No additional information available

**Unknown acute toxicity (GHS US)**

Not applicable

### Section 3 ~ Composition/Information on Ingredients

**Substance:** Not applicable

**Mixture:**

<u>Name</u>	<u>Product identifier</u>	<u>%</u>	<u>GHS-US classification</u>
D-limonene	(CAS No) 5989-27-5	40 - 60	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Distillates (Petroleum), Hydrotreated Light	(CAS No) 64742-47-8	10 - 20	Flam. Liq. 4, H227 Asp. Tox. 1, H304

**Full text of H-statements:** see section 16

### Section 4 ~ First Aid Measures

**Description of first aid measures**

**First-aid measures general:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid measures after inhalation:** Allow breathing of fresh air. Allow the victim to rest.

**First-aid measures after skin contact:** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Get medical advice/attention. Specific treatment (see first aid section on this label. on this label). If skin irritation or rash occurs: Get medical advice/attention.

**First-aid measures after eye contact:** Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.

**First-aid measures after ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

**Most important symptoms and effects, both acute and delayed**

**Symptoms/injuries after inhalation:** May cause an allergic skin reaction.

**Symptoms/injuries after skin contact:** Causes skin irritation.

**Indication of any immediate medical attention and special treatment needed:** No additional information available

---

**Section 5 ~ Firefighting Measures**

---

**Extinguishing media**

**Suitable extinguishing media:** Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media:** Do not use a heavy water stream.

**Special hazards arising from the substance or mixture**

**Fire hazard:** Flammable liquid and vapour.

**Explosion hazard:** May form flammable/explosive vapour-air mixture.

**Advice for firefighters**

**Firefighting instructions:** Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Prevent fire-fighting water from entering environment.

**Protection during firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

---

**Section 6 ~ Accidental Release Measures**

---

**Personal precautions, protective equipment and emergency procedures**

**General measures:** Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

**For non-emergency personnel**

**Emergency procedures:** Evacuate unnecessary personnel.

**For emergency responders**

**Protective equipment:** Equip cleanup crew with proper protection.

**Emergency procedures:** Ventilate area.

**Environmental precautions**

No additional information available

**Methods and material for containment and cleaning up**

**Methods for cleaning up:** Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

**Reference to other sections**

See Heading 8. Exposure controls and personal protection.

---

**Section 7 ~ Handling and Storage**

---

**Precautions for safe handling**

**Additional hazards when processed:** Handle empty containers with care because residual vapours are flammable.

**Precautions for safe handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing fume.

**Hygiene measures:** Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

**Conditions for safe storage, including any incompatibilities**

**Technical measures:** Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.

Use explosion-proof electrical equipment.

**Storage conditions:** Keep only in the original container in a cool, well ventilated place away from: Heat sources. Keep container tightly closed.

**Incompatible products:** Strong bases. Strong acids.

**Incompatible materials:** Sources of ignition. Direct sunlight. Heat sources.

---

**Section 8 ~ Exposure Controls/Personal Protection**

---

**Control parameters**

**D-limonene (5989-27-5):** Not applicable

**Distillates (Petroleum), Hydrotreated Light (64742-47-8):** Not applicable

**Exposure controls**

**Personal protective equipment:** Avoid all unnecessary exposure.

**Hand protection:** Wear protective gloves.

**Eye protection:** Chemical goggles or safety glasses.

**Skin and body protection:** Wear suitable protective clothing.

**Respiratory protection:** Wear appropriate mask.

**Other information:** Do not eat, drink or smoke during use.

---

**Section 9 ~ Physical and Chemical Properties**

---

**Physical state:** Liquid

**Color:** Reddish orange

**Odor:** Citrus fruits

**Odor threshold:** No data available

**pH:** No data available

**Melting point:** No data available  
**Freezing point:** No data available  
**Boiling point:** No data available  
**Flash point:** >150 F  
**Relative evaporation rate (butylacetate=1):** No data available  
**Flammability (solid, gas):** No data available  
**Explosive limits:** No data available  
**Explosive properties:** No data available  
**Oxidizing properties:** No data available  
**Vapor pressure:** No data available  
**Relative density:**  $\approx 0.857$   
**Relative vapor density at 20 °C:** No data available  
**Solubility:** Moderately soluble in water, creates emulsion. Water: Solubility in water of component(s) of the mixture: • D-limonene: insoluble • Distillates (Petroleum), Hydrotreated Light: < 0.1 g/100ml • nonylphenoxypoly (ethyleneoxy) ethanol: soluble  
**Log Pow:** No data available  
**Auto-ignition temperature:** No data available  
**Decomposition temperature:** No data available  
**Viscosity:** No data available  
**Viscosity, kinematic:** No data available  
**Viscosity, dynamic:** No data available

#### Other information

No additional information available

---

### Section 10 ~ Stability and Reactivity

---

#### Reactivity

No additional information available

#### Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

#### Possibility of hazardous reactions

Not established.

#### Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

#### Incompatible materials

Strong acids. Strong bases.

#### Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

---

### Section 11 ~ Toxicological Information

---

**Acute toxicity:** Not classified

#### D-limonene (5989-27-5)

LD50 oral rat	4400 mg/kg bodyweight (Rat; OECD 423: Acute Oral Toxicity – Acute Toxic Class Method; Literature study; > 2000 mg/kg bodyweight; Rat; Read-across)
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
ATE US (oral)	4400.000 mg/kg bodyweight

**Skin corrosion/irritation:** Causes skin irritation.

**Serious eye damage/irritation:** Not classified

**Respiratory or skin sensitisation:** May cause an allergic skin reaction.

**Germ cell mutagenicity:** Not classified

**Carcinogenicity:** Not classified

#### D-limonene (5989-27-5)

IARC group 3 - Not classifiable

**Reproductive toxicity:** Not classified

**Specific target organ toxicity (single exposure):** Not classified

**Specific target organ toxicity (repeated exposure):** Not classified

**Aspiration hazard:** Not classified

**Potential adverse human health effects and symptoms:** Based on available data, the classification criteria are not met.

**Symptoms/injuries after inhalation:** May cause an allergic skin reaction.

**Symptoms/injuries after skin contact:** Causes skin irritation.

---

### Section 12 ~ Ecological Information

---

#### Toxicity

#### D-limonene (5989-27-5)

LC50 fish 1	720 µg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flowthrough system; Fresh water; Experimental value)
EC50 Daphnia 1	0.36 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Threshold limit algae 1	150 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus; Static system; Fresh water; Read-across)

**Persistence and degradability**

GO AWAY: Persistence and degradability Not established.

**D-limonene (5989-27-5)**

Persistence and degradability Readily biodegradable in water. Forming sediments in water. Adsorbs into the soil. Not established.  
ThOD 3.29 g O<sub>2</sub>/g substance

**Distillates (Petroleum), Hydrotreated Light (64742-47-8)**

Persistence and degradability Readily biodegradable in water. Not established.

**Bioaccumulative potential**

GO AWAY: Bioaccumulative potential Not established.

**D-limonene (5989-27-5)**

BCF fish 1 864.8 - 1022 (BCF; Pisces)  
Log Pow 4.38 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 37 °C)  
Bioaccumulative potential Potential for bioaccumulation ( $4 \geq \text{Log Kow} \leq 5$ ). Not established.

**Distillates (Petroleum), Hydrotreated Light (64742-47-8)**

Log Pow > 3  
Bioaccumulative potential Low potential for bioaccumulation ( $\text{Log Kow} < 4$ ). Not established.

**Mobility in soil****D-limonene (5989-27-5)**

Log Koc Koc, SRC PCKOCWIN v2.0; 1120 - 6324; QSAR

**Other adverse effects**

**Effect on the global warming:** No known ecological damage caused by this product.

**Other information:** Avoid release to the environment.

**Section 13 ~ Disposal Considerations****Waste treatment methods**

**Waste disposal recommendations:** Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to an approved waste disposal plant.

**Additional information:** Handle empty containers with care because residual vapours are flammable.

**Ecology - waste materials:** Avoid release to the environment.

**Section 14 ~ Transportation Information****Department of Transportation (DOT)**

In accordance with DOT  
Not regulated for transport

**TDG**

No additional information available

**Transport by sea**

No additional information available

**Air transport**

No additional information available

**Section 15 ~ Regulatory Information****US Federal regulations**

GO AWAY: Not listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

**International regulations**

CANADA: No additional information available

EU-Regulations: No additional information available

National regulations: No additional information available

**US State regulations**

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

**Section 16 ~ Other Information****Full text of H-statements**

H226 Flammable liquid and vapor.  
H227 Combustible liquid  
H304 May be fatal if swallowed and enters airways  
H315 Causes skin irritation  
H317 May cause an allergic skin reaction

H400 Very toxic to aquatic life  
H410 Very toxic to aquatic life with long lasting effects

	NFPA	HMIS	Key
HEALTH	1	1	4= Severe
FLAMMABILITY	1	1	3= Serious
REACTIVITY	0		2= Moderate
PHYSICAL		0	1= Slight
PERSONAL PROTECTION		B	0= Minimal

**Disclaimer:** Omega Industrial Supply, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and -may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**