

Section 1 ~ Identification

Identity (As Used On Label and List) Q2093 GRAFFITI X	Date Prepared: 06/02/25
Company Information: OMEGA INDUSTRIAL SUPPLY, INC	Emergency Telephone Number: 1-800-424-9300
Address (Number, Street, Suite/Apt#) 1133 WEST 27 TH STREET	Telephone Number for Information: 1-800-571-7347
(City, State, and Zip Code) CHEYENNE, WY 82001	Signature of Prepare (Optional) REGULATORY DEPT.

Section 2 ~ Hazard(s) Identification

<i>Classifications</i>	<u>Combustible Liquid, Category 4</u> H227
	<u>Aspiration Hazard, Category 2</u> H305
	<u>Specific Target Organ Toxicity (Single Exposure)</u> H335
	<u>Cause serious eye irritation 2A</u> H319
	<u>Causes Skin Irritation</u> H315
	<u>May damage fertility</u> H360

Full text of H statements: see section 16

Label Elements



Signal Word: Warning

Hazard Statement

- H227 - Combustible liquid and vapor
- H305 - May be fatal if swallowed and enters airways.
- H315 - Causes skin irritation
- H319 - Serious Eye Damage / Eye Irritation
- H360 - Reproductive Toxicity

Precautionary Statement

- P203 - Obtain, read and follow all safety instructions
- P210 - Keep away from heat. - No smoking
- P233 - Keep container tightly closed
- P240 - Ground/bond container and receiving equipment
- P241 - Use explosion-proof electrical equipment
- P242 - Use only non-sparking tools
- P243 - Take precautionary measures against static discharge
- P261 - Avoid breathing fume
- P264 - Wash hands thoroughly after handling
- P271 - Use only outdoors or in a well-ventilated area
- P280 - Wear eye protection, protective gloves
- P301+316 - IF SWALLOWED get medical attention immediately
- P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
- P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
- P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P312 - Call a doctor if you feel unwell
- P318 - If exposed or concerned get medical advice
- P319 - Get medical help if you feel unwell
- P331 - DO NOT induce vomiting
- P337+P313 - If eye irritation persists: Get medical advice/attention
- P370+P378 - In case of fire: Use Suitable extinguishing media to extinguish
- P403+P233 - Store in a well-ventilated place. Keep container tightly closed
- P403 + P235 - Store in a well-ventilated place. Keep cool
- P405 - Store locked up
- P501 - Dispose of contents/container to an approved waste disposal plant

Other Hazards

Unknown acute toxicity (GHS US)

No additional information available
Not applicable

Section 3 ~ Composition/Information on Ingredients

Substance: Not applicable

Mixture:

Name	Product identifier	%	GHS-US classification
Alcohols, C9-11, ethoxylated	(CAS No) 68439-46-3	10 - 50	Acute Tox. 4 (Oral), H302 / Skin Irrit. 2, H315

Name	Product identifier	%	GHS-US classification
Acetone	(CAS No) 67-64-1	20 - 60	Flam. Liq. 2, H225 / Eye Irrit. 2A, H319 / STOT SE 3, H336
Name	Product identifier	%	GHS-US classification
N-Methyl Pyrrolidone	(CAS No) 872-50-4	15 - 25	Reproductive Tox, H360 / Eye Irrit. 2A, H319
Name	Product identifier	%	GHS-US classification
D'limonene	(CAS No) 5989-27-5	1-5	Acute Tox. 4 (Oral), H302 / Skin Irrit. 2, H315

Section 4 ~ First Aid Measures

Description of first aid measures

First-aid measures general: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.

First-aid measures after eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Get medical advice/attention.

First-aid measures after ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation: May cause drowsiness or dizziness.

Symptoms/injuries after eye contact: Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

Section 5 ~ Firefighting Measures

Extinguishing media

Suitable extinguishing media: Foam. Dry powder. Carbon dioxide. Sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

Special hazards arising from the substance or mixture

Fire hazard: Highly combustible liquid and vapour.

Explosion hazard: May form flammable/explosive vapour-air mixture.

Advice for firefighters

Firefighting instructions: Use foam or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Prevent fire-fighting water from entering environment.

Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Section 6 ~ Accidental Release Measures

General measures: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

For non-emergency personnel

Emergency procedures: Evacuate unnecessary personnel.

For emergency responders

Protective equipment: Equip cleanup crew with proper protection. Avoid breathing mist.

Emergency procedures: Ventilate area.

Environmental precautions: No additional information available

Methods and material for containment and cleaning up

Methods for cleaning up: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Reference to other sections: See Heading 8. Exposure controls and personal protection.

Section 7 ~ Handling and Storage

Precautions for safe handling

Additional hazards when processed: Handle empty containers with care because residual vapours are combustible.

Precautions for safe handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Use only non-sparking tools. Avoid breathing fume.

Use only outdoors or in a well-ventilated area.

Hygiene measures: Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Technical measures: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.

Use explosion-proof electrical equipment.

Storage conditions: Keep only in the original container in a cool, well ventilated place away from: Heat sources. Keep in fireproof place. Keep container tightly closed.

Incompatible products: Strong bases. Strong acids.

Incompatible materials: Sources of ignition. Direct sunlight. Heat sources.

Section 8 ~ Exposure Controls/Personal Protection

Control parameters

GRAFFITI X:

ACGIH	ACGIH TWA (ppm)	Not Determined
ACGIH	ACGIH STEL (ppm)	Not Determined
ACGIH	Remark (ACGIH)	Not Determined
OSHA	OSHA PEL (TWA) (mg/m ³)	Not Determined
OSHA	OSHA PEL (TWA) (ppm)	Not Determined

Exposure controls

Personal protective equipment: Avoid all unnecessary exposure.

Hand protection: Wear protective gloves.

Eye protection: Chemical goggles or safety glasses.

Respiratory protection: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.

Other information: Do not eat, drink or smoke during use.

Section 9 ~ Physical and Chemical Properties

Physical state: Liquid

Color: Clear

Odor: Characteristic

Odor threshold: No data available

pH: No data available

Melting point: No data available

Freezing point: No data available

Boiling point: 154° C

Flash point: 149.4° F / 65° C

Relative evaporation rate (butylacetate=1): No data available

Explosive limits: No data available

Explosive properties: No data available

Oxidizing properties: No data available

Vapor pressure: 33mmHG

Relative density: .81

Relative vapor density at 20 °: 2.07

Solubility: Water Solubility in water of component(s) of the mixture: Not water soluble, dispersible

Log Pow: No data available

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Viscosity: No data available

Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

Section 10 ~ Stability and Reactivity

Reactivity: No additional information available

Chemical stability: Combustible liquid and vapor. May form combustible vapor-air mixture.

Possibility of hazardous reactions: Not established.

Conditions to avoid: Direct sunlight. Extremely high or low temperatures. Open flame.

Incompatible materials: Strong acids. Strong bases.

Hazardous decomposition products: Carbon monoxide. Carbon dioxide. May release flammable gases.

Section 11 ~ Toxicological Information

Acute toxicity: Not classified

LD50 dermal rabbit: Not determined

LC50 inhalation rat (mg/l): Not determined

ATE US (dermal): Not determined

ATE US (vapours): Not determined

ATE US (dust,mist): Not determined

Skin corrosion/irritation: Not classified

Serious eye damage/irritation: Causes serious eye irritation.

Respiratory or skin sensitisation: Not classified

Germ cell mutagenicity: Not classified

Carcinogenicity: Not classified

IARC group: 3 - Not classifiable

Reproductive toxicity: Not classified

Specific target organ toxicity (single exposure): May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure): Not classified

Aspiration hazard: Not classified

Potential adverse human health effects and symptoms: Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation: May cause drowsiness or dizziness.

Symptoms/injuries after eye contact: Causes serious eye irritation.

Section 12 ~ Ecological Information

Toxicity

LC50 fish 2: Not determined
EC50 Daphnia: 2 Not determined
Threshold limit algae 1: Not determined

Persistence and degradability

Persistence and degradability: Not established.
Biochemical oxygen demand (BOD): Not determined
Chemical oxygen demand (COD): Not determined
ThOD: Not determined

Bioaccumulative potential

Bioaccumulative potential: Not established.
Log Pow: 0.05 (Weight of evidence approach; Other; 25 °C)
Bioaccumulative potential: Low potential for bioaccumulation (Log Kow < 4). Not established.

Mobility in soil

Surface tension: Not determined

Other adverse effects

Effect on the global warming: No known ecological damage caused by this product.
Other information: Avoid release to the environment.

Section 13 ~ Disposal Considerations

Waste treatment methods

Waste disposal recommendations: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to an approved waste disposal plant.
Additional information: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials: Avoid release to the environment.

Section 14 ~ Transportation Information

Department of Transportation (DOT)

In accordance with DOT
Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

Section 15 ~ Regulatory Information

US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

International regulations

CANADA: No additional information available
EU-Regulations: No additional information available
National regulations: No additional information available

US State regulations

California Proposition 65 - This product does contain a substance known to the state of California to cause cancer and/or reproductive harm

N-Methyl Pyrrolidone (872-50-4): U.S. - New Jersey - Right to Know Hazardous Substance List

Section 16 ~ Other Information

	NFPA	HMIS	Key
HEALTH	1	1	4= Severe
FLAMMABILITY	2	2	3= Serious
REACTIVITY	0		2= Moderate
PHYSICAL HAZARD		0	1= Slight
			0= Minimal

Disclaimer: Omega Industrial Supply, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and -may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.