

Section 1 ~ Identification

Identity (As Used On Label and List) Q2078 CYCLE RENEWEW	Date Prepared: 08-09-2019
Company Information: OMEGA INDUSTRIAL SUPPLY, INC	Emergency Telephone Number: 1-800-424-9300
Address (Number, Street, Suite/Apt#) 101 Grobric Ct #1	Telephone Number for Information: 1-800-571-7347
(City, State, and Zip Code) Fairfield, CA 94534	Signature of Prepare (Optional) REGULATORY DEPT.

Section 2 ~ Hazard(s) Identification

GHS-US Classification Skin corrosion/irritation, Category 1B Causes severe skin burns and eye damage
Serious eye damage/eye irritation, Category 1 Causes serious eye damage

Label Elements

GHS-US Labeling

Hazardous Pictograms (GHS-US)



GHS05

Signal Word (GHS-US):

Danger

Contains

phosphoric acid; oxalic acid; hydrochloric acid; Varonic T 202 SR ETHOMEEN T/15

Hazardous Statements (GHS-US)

Causes severe skin burns and eye damage

Precautionary Statement (GHS-US)

Do not breathe spray, mist, vapors. Wash hands thoroughly after handling. Wear eye protection, protective gloves **If Swallowed:** rinse mouth. Do NOT induce vomiting. **If on Skin (or hair):** Take off immediately all contaminated clothing. Rinse skin with water/shower. **If Inhaled:** Remove person to fresh air and keep comfortable for breathing. **If in Eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor. Specific treatment (see first aid section on this label, on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container to an approved waste disposal plant

Other Hazards

No additional information available

Unknown Acute Toxicity (GHS-US)

Not applicable

Section 3 ~ Composition/Information on Ingredients

Substance: Not applicable

Mixture

Name	CAS No.	%(Wt.)	GHS-US Classification
Phosphoric Acid	7664-38-2	12 – 15	Skin Corr. 1B, H314
Hydrochloric Acid	7647-01-0	9 – 9.9	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Oxalic Acid	144-62-7	2 – 4	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Eye Dam. 1, H318
Polyethoxylated tallow amine (61791-26-2)	61791-26-2	2 – 4	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: See section 16

Section 4 ~ First Aid Measures

Description of First Aid Measures

First-Aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-Aid Measures After Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

First-Aid Measures After Skin Contact: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.

First-Aid Measures After Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

First-Aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms/Injuries: Causes severe skin burns and eye damage.

Symptoms/Injuries After Eye Contact: Causes serious eye damage.

Indication of Any Immediate Medical Attention and Special Treatment Needed: No additional information available

Section 5 ~ Fire Fighting Measures

Extinguishing Media

Suitable Extinguishing Media: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable Extinguishing Media: Do not use a heavy water stream.

Special Hazards Arising from the Substance or Mixture

Reactivity: Corrosive vapors.

Advice for Firefighters

Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Section 6 ~ Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions: Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and Material for Containment and Cleaning Up

Methods for Cleaning Up: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Reference to Other Sections: See Heading 8. Exposure controls and personal protection.

Section 7 ~ Handling and Storage

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not breathe vapors, spray, mist.

Hygiene Measures: Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

Conditions for Safe Storage, Including any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep only in the original container in a cool, well ventilated place away from: Heat sources. Keep container closed when not in use.

Incompatible Products: Strong bases. Strong acids.

Incompatible Materials: Sources of ignition. Direct sunlight.

Section 8 ~ Exposure Controls/Personal Protection

Control parameters

Phosphoric acid (7664-38-2)

ACGIH Remark (ACGIH) URT, eye, & skin irr

OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³

Oxalic acid (144-62-7)

ACGIH ACGIH TWA (mg/m³) 1 mg/m³

ACGIH ACGIH STEL (mg/m³) 2 mg/m³

ACGIH Remark (ACGIH) URT, eye, & skin irr

OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³

Hydrochloric acid (7647-01-0)

ACGIH Remark (ACGIH) URT irr

OSHA OSHA PEL (Ceiling) (mg/m³) 7 mg/m³

OSHA OSHA PEL (Ceiling) (ppm) 5 ppm

Polyethoxylated tallow amine (61791-26-2)

Not applicable

Personal Protective Equipment: Safety glasses. Gloves.



Hand Protection: Wear protective gloves.

Eye Protection: Chemical goggles or face shield.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: Wear appropriate mask.

Other Information: Do not eat, drink or smoke during use.

Section 9 ~ Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Physical State: Liquid

Color: Blue

Odor: Mint

Odor Threshold: No data available

pH: < 2

Melting Point: No data available

Freezing Point: No data available

Boiling Point: No data available

Flash Point: No data available

Relative Evaporation Rate (butylacetate=1): No data available

Flammability (solid, gas): No data available

Explosive Limits: No data available

Explosive Properties: No data available

Oxidizing Properties: No data available

Vapor Pressure: No data available

Relative Density: 1.15

Relative Vapor Density at 20 °C: Heavier than water

Solubility: Water: Solubility in water of component(s) of the mixture: • phosphoric acid:

Complete • oxalic acid: 10 g/100ml • hydrochloric acid: Complete

Log Pow: No data available

Auto-Ignition Temperature: No data available

Decomposition Temperature: No data available

Viscosity: No data available

Viscosity, Kinematic: No data available

Viscosity, Dynamic: No data available

Other Information: No additional information available

Section 10 ~ Stability and Reactivity

Reactivity: Corrosive vapors.

Chemical Stability: Not established.

Possibility of Hazardous Reactions: Not established.

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures.

Incompatible Materials: Strong acids. Strong bases.

Hazardous Decomposition Products: Carbon monoxide. Carbon dioxide. Thermal decomposition generates: Corrosive vapors.

Section 11 ~ Toxicological Information

Acute Toxicity: Not classified

Phosphoric acid (7664-38-2)

LD50 oral rat 4400 mg/kg (Rat)

ATE US (oral) 4400.000 mg/kg bodyweight

Oxalic acid (144-62-7)

ATE US (oral) 500.000 mg/kg bodyweight

ATE US (dermal) 1100.000 mg/kg bodyweight

Polyethoxylated tallow amine (61791-26-2)

LD50 oral rat 500 mg/kg (Rat)

ATE US (oral) 500.000 mg/kg bodyweight

Skin Corrosion/Irritation: Causes severe skin burns and eye damage.

pH: < 2

Serious Eye Damage/Irritation: Causes serious eye damage.

pH: < 2

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Hydrochloric acid (7647-01-0)

IARC group 3 - Not classifiable

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (single exposure): Not classified

Specific Target Organ Toxicity (repeated exposure): Not classified

Aspiration Hazard: Not classified

Potential Adverse Human Health Effects and Symptoms: Based on available data, the classification criteria are not met.

Symptoms/Injuries After Eye Contact: Causes serious eye damage.

Section 12 ~ Ecological Information

Toxicity

Phosphoric acid (7664-38-2)

LC50 fish 1 138 mg/l (LC50)


Oxalic acid (144-62-7)	
LC50 fish 1	34.1 mg/l (LC50; 96 h; Pimephales promelas)
EC50 Daphnia 1	137 mg/l (EC50; 48 h)
Hydrochloric acid (7647-01-0)	
LC50 fish 1	282 mg/l (LC50; 96 h)
EC50 Daphnia 1	< 56 mg/l (EC50; 72 h)
Persistence and Degradability	
CYCLE RENEW	
Persistence and degradability	Not established.
Phosphoric acid (7664-38-2)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available. Not established.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
Oxalic acid (144-62-7)	
Persistence and degradability	Readily biodegradable in water. Readily biodegradable in water in anaerobic conditions. Photolysis in water. Biodegradable in the soil. Photolysis in the air. Not established.
Biochemical oxygen demand (BOD)	0.14 g O ₂ /g substance
Chemical oxygen demand (COD)	0.18 g O ₂ /g substance
ThOD	0.18 g O ₂ /g substance
Hydrochloric acid (7647-01-0)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available.
Polyethoxylated tallow amine (61791-26-2)	
Persistence and degradability	Not readily biodegradable in water. Not established.
Bioaccumulative Potential	
CYCLE RENEW	
Bioaccumulative potential	Not established.
Pphosphoric acid (7664-38-2)	
Log Pow	-0.77 (Estimated value)
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
Oxalic acid (144-62-7)	
Log Pow	-2.22 - -1.74 (Estimated value)
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
Hydrochloric acid (7647-01-0)	
Log Pow	0.3
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Polyethoxylated tallow amine (61791-26-2)	
Bioaccumulative potential	Not established.
Mobility in Soil	
Hydrochloric acid (7647-01-0)	
Ecology – soil	May be harmful to plant growth, blooming and fruit formation.
Other Adverse Effects	
Effect on the Global Warming:	No known ecological damage caused by this product.
Other Information:	Avoid release to the environment.

Section 13 ~ Disposal Considerations

Waste Treatment Methods
Waste Disposal Recommendations: Dispose in a safe manner in accordance with local/national regulations.
Ecology - Waste Materials: Avoid release to the environment.

Section 14 ~ Transport Information

Department of Transportation (DOT)
In accordance with DOT
Transport Document Description: UN1789 Hydrochloric acid, 8, II
UN-No. (DOT): UN1789
Proper Shipping Name (DOT): Hydrochloric acid
Class (DOT): 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT): 8 - Corrosive
 LTD QTY - Limited quantity



Packing group (DOT): II - Medium Danger
DOT Packaging Bulk (49 CFR 173.xxx): 241
DOT Packaging Exceptions (49 CFR 173.xxx): 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27): 5 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75): 60 L
DOT Vessel Stowage Location: C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel
DOT Vessel Stowage Other: 8 - Glass carboys not permitted on passenger vessels
Other Information: No supplementary information available.
TDG: No additional information available

Transport by Sea
UN-No. (IMDG): 1789
Proper Shipping Name (IMDG): HYDROCHLORIC ACID
Class (IMDG): 8 - Corrosive substances
Packing group (IMDG): III - substances presenting low danger

Air Transport
UN-No. (IATA): 1789
Proper Shipping Name (IATA): Hydrochloric acid
Class (IATA): 8 - Corrosives
Packing group (IATA): III - Minor Danger

Section 15 ~ Regulatory Information

US Federal regulations
CYCLE RENEW
 Not listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Hydrochloric acid CAS No 7647-01-0 9 - 9.9%

Phosphoric acid (7664-38-2)

CERCLA RQ 5000 lb

Hydrochloric acid (7647-01-0)

CERCLA RQ 5000 lb

SARA Section 302 Threshold Planning Quantity (TPQ) 500 lb

International Regulations

CANADA: No additional information available

EU-Regulations: No additional information available

National Regulations: No additional information available

US State Regulations: California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm.

Phosphoric acid (7664-38-2)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

Oxalic acid (144-62-7)

U.S. - New Jersey - Right to Know Hazardous Substance List

Hydrochloric acid (7647-01-0)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

Section 16 ~ Other Information

Training Advice: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Other Information: None.

Full Text of H-statements: H302 Harmful if swallowed
H312 Harmful in contact with skin
H314 Causes severe skin burns and eye damage
H315 Causes skin irritation
H318 Causes serious eye damage
H335 May cause respiratory irritation
H400 Very toxic to aquatic life
H410 Very toxic to aquatic life with long lasting effects

	NFPA	HMIS	Key
HEALTH	2	2	4= Severe
FLAMMABILITY	0	0	3= Serious
REACTIVITY	1	1	2= Moderate
OTHER/PROTECTION	-	B	1= Slight 0= Minimal B= Safety glasses, Gloves

DISCLAIMER: Omega Industrial Supply, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.