

This brief provides a general overview of the **Safety Data Sheet** requirements in the Hazard Communication Standard OSHA's 29 CFR 1910.1200(g) and Appendix D of 29 CFR 1910.1200).

Section 1 ~ Identification

Identity (As Used On Label and List) A1079 Patch It White	Date Prepared: 03-12-15
Company Information: OMEGA INDUSTRIAL SUPPLY, INC	Emergency Telephone Number: 1-800-424-9300
Address (Number, Street, Suite/Apt#) 101 Grobric Ct #1	Telephone Number for Information: 1-800-571-7347
(City, State, and Zip Code) Fairfield, CA 94534	Signature of Prepare (Optional) REGULATORY DEPT.

Section 2 ~ Hazard(s) Identification

<i>Physical Hazards</i>	Flammable Aerosols	Category 1		
<i>Health Hazards Classification(s)</i>	Acute Toxicity - Oral - Level 4	Warning	Carcinogenicity - Level 2	Warning
	Acute Toxicity - Dermal - Level 4	Warning	Toxic to Reproduction - Level 2	Warning
	Acute Toxicity - Inhalation - Level 4	Warning	Aspiration Hazard - Level 2	Warning
	Skin Corrosion/Irritation -Level 3	Warning		

<i>Label elements</i>	  	WARNING: DANGER.
-----------------------	---	------------------

Hazard Statement **Eyes:** Slightly irritating but does not injure eye tissue. **Skin:** Low order of toxicity. Frequent or prolonged contact may irritate and cause dermatitis. Skin contact may aggravate an existing dermatitis condition. **Inhalation:** High vapor/aerosol concentrations (greater than approximately 100ppm) are irritating to the eyes and the respiratory tract, may cause headaches, dizziness, anesthesia, drowsiness, unconsciousness and other central nervous system effects, including death. **Ingestion** Small amounts of this product aspirated into the respiratory system during ingestion or vomiting may cause mild to severe pulmonary injury, possibly minimal toxicity

Physical Hazard Precautionary Statement Extremely flammable aerosol. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C /122°F.

Response Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands and exposed areas thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required. **Eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. **Skin:** Wash with plenty of water. **Inhalation:** Remove person to fresh air and keep comfortable for breathing. **Ingestion:** Immediately call a POISON CENTER/doctor/physician. Call a POISON CENTER/doctor if you feel unwell. If exposed or concerned: Get medical advice/attention. See Section 12 if specific treatment is applicable. Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local regulations.

Section 3 ~ Composition/Information on Ingredients

Components (Specific Chemical Identity, Common Name(s))	CAS No.	PEL	TLV	%(Wt.)
Hydrocarbon Propellant	68476-86-8	No Data	No Data	-
Aliphatic Hydrocarbon *	110-54-3	500 ppm	50 ppm	-
Styrene-Isoprene Block	025038-32-8	Not hazardous under	Not hazardous under	-
Aromatic Hydrocarbon *	108-88-3	TWA of 100 (375	TWA of 50 ppm (147 mg/m3)	-
Poly (Butadiene-Co-Styrene)	9003-55-8	Not Established	Not Established	-
Xylene	1330-20-7	100 ppm	100 ppm	-
Rosin Ester	PROPRIETARY	Not Determined	Not Determined	-
Methyl Acetate		200 ppm	200 ppm	-

Specific chemical identity and exact percentages are withheld as Trade Secret.

If applicable, IARL, NPT and OSHA carcinogens and chemicals subject to the reporting requirements of SARA Title III, Section 313 are identified above with an "*"

Section 4 ~ First Aid Measures

General information— This material is an aspiration hazard and defats the skin. Breathing vapors of high concentrations may cause CNS depression.

Eyes— Flush eyes with large amounts of water until irritation subsides. If irritation persists, get medical attention.

Skin— Flush with large amounts of water; use soap if available. Remove grossly contaminated clothing, including shoes and laundry before reuse.

Inhalation— Using proper respiratory protection, immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped. Keep at rest. Call for prompt medical attention.

Ingestion—If swallowed, DO NOT induce vomiting. Keep at rest. Get prompt medical attention.

Special Precautions: Health studies have shown that many hydrocarbons pose potential human health risks which may vary from person to person. As a precaution, exposure to liquids, vapors, mists or fumes should be minimized.

Personal Protection: For open systems where contact is likely, wear safety glasses with side shields, long sleeves, and chemical resistant gloves. Where concentrations in air may exceed the limits, work practice or other means of exposure reduction are not adequate, NIOSH/MSHA approved respirators may be necessary to prevent overexposure by inhalation.

Ventilation: The use of mechanical dilution ventilation is recommended whenever this product is used in a confined space, is heated above ambient temperatures, or is agitated.

Section 5 ~ Fire Fighting Measures

Extinguishing Media— Dry Chemical. CO2. Halogenated Extinguishing Agent. Stop Gas Flow.

Special Firefighting Procedures— Gas fires should not be extinguished unless the gas flow can be stopped immediately. Allow the fire to burn itself

Fire Fighting— Use water spray to cool fire exposed surfaces and to protect personnel. Isolate "fuel" supply from fire. Use foam, dry chemical, or water

Section 6 ~ Accidental Release Measures

Steps To Be Taken In Case Container Is Punctured And Material Is Released — Clean up area by mopping or with absorbent materials and place in closed container for disposal. Consult Federal, State, and local disposal authorities.

Waste Disposal Method — Consult local authorities for proper waste disposal procedures. Empty de-pressurized containers cannot be reused. Cans which are pressurized or contain liquid must be disposed of in a permitted waste management facility. Consult Federal, State, and local disposal authorities for approved procedures.

Section 7 ~ Handling and Storage

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands and exposed areas thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.

If in Eyes – Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a POISON CENTER/doctor/physician if you feel unwell.

If on Skin – Wash with plenty of water.

If Inhaled – Remove person to fresh air and keep comfortable for breathing.

If Swallowed – Immediately call a POISON CENTER/doctor/physician. Call a POISON CENTER/doctor if you feel unwell.

Section 8 ~ Exposure Controls/Personal Protection

Appropriate engineering controls – Use adequate level exhaust ventilation. Note: Where carbon monoxide may be generated, special ventilation may be required. Local exhaust recommended when appropriate to control employee exposure.

Respiratory Protection– Based on contamination level and working limits of the respirator, use a respirator approved by NIOSH/MSHA. In situations where vapor concentrations exceed the recommended exposure limits, a NIOSH approved organic vapor cartridge or air-supplying respirator should be worn.

Eye/face protection– Face shield and goggles or chemical goggles should be worn.

Skin Protection Other– Standard work clothing. Standard work shoes; discard if shoes can not be decontaminated. Store contaminated clothing in well ventilated cabinets or closed containers. Wash contaminated clothing and dry before reuse.

Hand Protection– Impervious gloves should be worn. Gloves contaminated with the product should be discarded. Polyfluorinated polyethylene has been suggested.

Section 9 ~ Physical Chemical Properties

Boiling Point	N/D	Specific Gravity	Liquid: .85
Vapor Pressure @ 60°F	< 75 psi	Melting/Freezing Point	-
Vapor Density	Heavier than air	Evaporation Rate (Butyl Acetate = 1)	-
Solubility in Water	NIL	pH	-
Appearance and Odor — White coating spray.		VOC%	Carb Compliant MIR <1.4
Flash Point (CCP): LVL 3 Aerosol, Propellant: -136°C	Auto - Ignition Temperature: N/A	Lower Flammability Level: N/A	Upper Flammability Level: N/A

Section 10 ~ Stability and Reactivity

Stability: Unstable <input type="checkbox"/> Stable <input checked="" type="checkbox"/>	Conditions to Avoid – Temperatures above 130°F.	Hazardous Polymerization: May Occur <input type="checkbox"/> Will Not Occur <input checked="" type="checkbox"/>
Incompatibility (Materials to Avoid) – Strong oxidizing agents.		Hazardous Decomposition or Byproducts – None.

Section 11 ~ Toxicological Information

Aliphatic Hydrocarbon * 110-54-3	Aromatic Hydrocarbon * 108-88-3	Xylene 1330-20-7	Methyl Acetate 79-20-9
Acute oral toxicity: LD 50 Rat: 25 g/kg	Acute oral toxicity: LD 50 Rat: 2,600 - 7,500 mg/kg	TWA: 100 ppm	Acute Oral: (LD50): 5001 mg/kg [Rat]
Acute inhalation toxicity: LC 50 Rat: 48000 ppm, 4 hours	Acute inhalation toxicity: LC 50 Rat: 8000 ppm, 4 h	TLV: 100 ppm	Acute Dermal: (LD50): 5001 mg/kg [Rabbit]
Acute dermal toxicity: LD 50 Rabbit: > 1.3 g/kg	Acute dermal toxicity: LD 50 Rabbit: 12,124 mg/kg		

Section 12 ~ Ecological Information

Aromatic Hydrocarbon * 108-88-3

Bioaccumulation

Species: Ide, silver or golden orfe (*Leuciscus idus*)

Exposure time: 3 d

Dose: 0.05 mg/l

Bioconcentration factor (BCF): 94

Method: Not reported

Ecotoxicity effects

Toxicity to fish

96 h LC 50 Rainbow trout, donaldson trout (Oncorhynchus mykiss): 5.80 mg/l

Method: Renewal, Mortality

96 h LC 50 Fathead minnow (Pimephalespromelas): 12.60 mg/l

Method: Static Mortality

Toxicity to daphnia and other aquatic invertebrates.

48 h EC 50 Water flea (Daphnia magna): 6.00 mg/l

Method: Static, Intoxication

Xylene 1330-20-7

This product is a mobile liquid. This product is non biodegradable. It does not accumulate or biomagnify in the environment.

If applicable, IARL, NPT and OSHA carcinogens and chemicals subject to the reporting requirements of SARA Title III, Section 313 are identified in Section III with an "*". Additional ecological information is Not Determined.

Section 13 ~ Disposal Considerations

Waste Disposal Method – Consult local authorities for proper waste disposal procedures. Empty de-pressurized containers can not be reused. Cans which are pressurized or contain liquid must be disposed of in a permitted waste management facility. Consult Federal, State, and local disposal authorities for approved procedures.

Section 14 ~ Transport Information

US Depart. of Transportation (DOT)		Water Transportation (IMDG)	Air Transportation (IATA)		
Proper Shipping Name:	Aerosols, Flammable, (each not exceeding 1Lcapacity)	Proper Shipping Name:	-	Proper Shipping Name:	-
Hazard Class:	2.1	Hazard Class:	-	Hazard Class:	-
UN Number:	UN1950	UN Number:	-	UN Number:	-
Packing exceptions:		Packing exceptions:	-	Packing exceptions:	-
Labels:		Label Statement:	-	Label Statement:	-

Special precautions for user: Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

Section 15 ~ Regulatory Information

See Section 3

Section 16 ~ Other Information

Disclaimer: The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modification of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.